IPC ASSOCIATION CONNECT ELECTRONICS INDUSTR	Material Compos © Copyright 2005. IPC international and Pan-A	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and Mfc Information				
upplier Infor												<u> </u>			
Company name*			Company unique ID			Uı	Unique ID Authority					Response Date*			
nsemi											2023-06-08				
Contact Name		Title - Contact			Pł	Phone - Contact*				Email - Contact*					
Product-Env-Stev	wards	Product Enviro Compliance			N	NA				Product-Env-Stewards@onsemi.com					
uthorized Repre	sentative*	Title - Representative			Pł	Phone - Representative*				Email - Representative*					
Product-Env-Stewards Produ				Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Reques	Requester Item Number Mfr Item		n Number Mfr Item Name			E	Effective Date	Date Version Manufacturing Site			Weight*	UOM	Unit Type		
		NIV2161MTTAG WDFN10 ESD Prote Short-to-Battery/Gro			otection with Automo	otive 2	2023-06-08	MY1				15.53	mg	Each	
	g Proccess Informatio	on													
Terminal Plating / Grid Array Material Terminal Base Alloy			Alloy	-STD-020 MSL Ratii	TD-020 MSL Rating Peak Process Body Temperature Max Time at Peal					Temperat	ure Numl	ber of Reflow Cyc	eles		
Matte Tin (Sn) - annealed C			CU Alloy 1			260 C 30		seconds 3							
omments															
vel 1 - maximum	ı time at peak temperature	e during sol	dering is 10-3	30 seconds	<u>-</u>			·		·		·	·		
or more informa	tion regarding material co	mposition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.68	mg	Supplier	Silicon (Si)	7440-21-3		0.68	mg
Die Attach	0.07	mg		Epoxy resin	proprietary data		0.0105	mg
			Supplier	Silver (Ag)	7440-22-4		0.056	mg
			Supplier	Bismaleimide	13676-54-5		0.0035	mg
Lead Frame	5.79	mg	Supplier	Silver (Ag)	7440-22-4		0.0579	mg
			Supplier	Tin (Sn)	7440-31-5		0.0145	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0127	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0145	mg
			Supplier	Copper (Cu)	7440-50-8		5.6904	mg
Mold Compound-Black	8.57	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.6856	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0428	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.1714	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		7.413	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2571	mg
Plating	0.31	mg	Supplier	Tin (Sn)	7440-31-5		0.31	mg
Wire Bond - Au	0.11	mg	Supplier	Gold (Au)	7440-57-5		0.11	mg