	Material Compo © Copyright 2005. IP International and Pan-	C, Bannockb	ourn, Illinois. A	All rights reserved untions.	under both leve	s docume el parts, th	ent is a declarat	ion of the sencompass	substances es all lowe	within the n r level mater	nanufacture rials for wh	er listed in hich the m	tem. Note: nanufacture	if the item is an as r has engineering	ssembly with low responsibility.	
752-21.1					Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ous Materia	als and Mfg Information				
upplie	r Information															
Company name*				Company unique ID			Unique ID Authority					Response Date*				
onsemi												2023-06-08				
Contact N	lame		Title - Contact			F	Phone - Contact*				Email - Contact*					
Product-I	Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com					
uthorize	ed Representative*		Title - Representative			F	Phone - Representative*				Email - Representative*					
roduct-I	Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com					
			n Number Mfr Item Name				Effective Date Version Manual   2023-06-08 PH1		Manufacturing Site		Weight*	UOM	Unit Type			
			HV Switcher for	/ Switcher for Low Power offline SMPS		]			PH1		4	471.77 mg		Each		
Ianufa	cturing Proccess Informat	ion				1		L	ł			1		l		
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-020 N		J-STD-020 MSL Ra	ting	Peak Process Body Temp		Temperatu	ture Max Time at Peak		Temperat	ure Num	ber of Reflow Cy	cles	
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		<b>30</b> seco		secon	ds 3					
omments	3															
or more	information regarding material of	composition	please refer to	o page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.19	mg	Supplier	Silicon (Si)	7440-21-3		2.19	mg
Die Attach	8.92	mg	Supplier	Silver (Ag)	7440-22-4		6.69	mg
			Supplier	Epoxy resins	129915-35-1		2.23	mg
Lead Frame	131.05	mg	Supplier	Silver (Ag)	7440-22-4		0.9173	mg
			Supplier	Zinc (Zn)	7440-66-6		0.2621	mg
			Supplier	Iron (Fe)	7439-89-6		3.4073	mg
			Supplier	Copper (Cu)	7440-50-8		126.4632	mg
Mold Compound-Black	317.53	mg		Epoxy resin	proprietary data		15.8765	mg
			Supplier	Phenolic Resin	Proprietary Data		15.8765	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		6.3506	mg
			Supplier	Carbon Black (C)	1333-86-4		1.5876	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		277.8387	mg
Plating	11.9	mg	Supplier	Tin (Sn)	7440-31-5		11.9	mg
Wire Bond	0.18	mg	Supplier	Palladium (Pd)	7440-05-3		0.0018	mg
			Supplier	Copper (Cu)	7440-50-8		0.1782	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)