

Image may be representation.
See specifications for product details.



MAX9030AUT+T

Manufacturer Part Number	MAX9030AUT+T
Manufacturer	Maxim Integrated
Allelco Part Number	32D-MAX9030AUT+T
ECAD Model	Request Free CAD Models
Parts Description	IC COMPARATOR 1 GEN PUR SOT6
Package	SOT-23-6
Data sheet	MAX9030-32,34.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

MAX9030AUT+T - Analog Devices Inc./Maxim Integrated.New Original in Stock. Download Linear Technology MAX9030AUT+T datasheet/specifications on AllelcoElec.com.
Request a quote for MAX9030AUT+T, please send us email: info@allelco.com

Specifications

MAX9030AUT+T Tech Specifications

MAX9030AUT+T - Analog Devices Inc./Maxim Integrated technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Maxim Integrated	Operating Temperature	-40°C ~ 125°C
Voltage - Supply, Single/Dual (±)	2.5V ~ 5.5V	Number of Elements	1
Voltage - Input Offset (Max)	1mV @ 5V	Mounting Type	Surface Mount
Type	General Purpose	Hysteresis	4mV
Supplier Device Package	SOT-6	Current - Quiescent (Max)	55µA
Series	-	Current - Output (Typ)	-
Propagation Delay (Max)	228ns	Current - Input Bias (Max)	0.008µA @ 5V
Package / Case	SOT-23-6	CMRR, PSRR (Typ)	100dB CMRR, 100dB PSRR
Package	Tape & Reel (TR)	Base Product Number	MAX9030
Output Type	CMOS, Rail-to-Rail, TTL		

Parts with Similar Specifications

The three parts on the right have similar specifications to Analog Devices Inc./Maxim Integrated MAX9030AUT+T

Product Attribute				
Part Number	MAX9030AUT+T	MAX902CSD+T	MAX9030AXT-T	MAX9030AXT+T
Manufacturer	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated
Propagation Delay (Max)	228ns	-	228ns	228ns
Voltage - Input Offset (Max)	1mV @ 5V	4mV @ ±5V	1mV @ 5V	1mV @ 5V
CMRR, PSRR (Typ)	100dB CMRR, 100dB PSRR	82.5dB CMRR, 80dB PSRR	100dB CMRR, 100dB PSRR	100dB CMRR, 100dB PSRR
Hysteresis	4mV	-	4mV	4mV
Operating Temperature	-40°C ~ 125°C	0°C ~ 70°C	-40°C ~ 125°C	-40°C ~ 125°C
Base Product Number	MAX9030	MAX902	MAX9030	MAX9030
Output Type	CMOS, Rail-to-Rail, TTL	TTL	CMOS, Rail-to-Rail, TTL	CMOS, Rail-to-Rail, TTL
Series	-	-	-	-
Package	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)
Current - Quiescent (Max)	55µA	8mA, 6mA, 3mA	55µA	55µA
Package / Case	SOT-23-6	14-SOIC (0.154", 3.90mm Width)	6-TSSOP, SC-88, SOT-363	6-TSSOP, SC-88, SOT-363
Type	General Purpose	with Latch	General Purpose	General Purpose
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Supplier Device Package	SOT-6	14-SOIC	SC-70-6	SC-70-6
Current - Output (Typ)	-	-	-	-
Current - Input Bias (Max)	0.008µA @ 5V	10µA @ ±5V	0.008µA @ 5V	0.008µA @ 5V
Voltage - Supply, Single/Dual (±)	2.5V ~ 5.5V	5V ~ 10V, ±2.5V ~ 5V	2.5V ~ 5.5V	2.5V ~ 5.5V
Number of Elements	1	2	1	1

MAX9030AUT+T Datasheet PDF

Download MAX9030AUT+T pdf datasheets and Analog Devices Inc./Maxim Integrated documentation for MAX9030AUT+T - Analog Devices Inc./Maxim Integrated.

Datasheets

[MAX9030-32,34.pdf](#)

Environmental Information

[Maxim Integrated REACH.pdf](#)

[Maxim Integrated RoHS Cert.pdf](#)



















[Red Phosphorous Certificate.pdf](#)

Part Numbering Guide

[Part Numbering System.pdf](#)

Customers Also Interested in

Recommended Products

 MAX902CSD+T Analog Devices Inc./Maxim Integrated IC COMPARATOR 2 W/LATCH 14SOIC	 MAX9030AXT-T Analog Devices Inc./Maxim Integrated IC COMPARATOR 1 GEN PUR SC70-6	 MAX9028EBT+ Analog Devices / Maxim Integrated	 MAX9030AXT+T Analog Devices Inc./Maxim Integrated IC COMPARATOR 1 GEN PUR SC70-6	 MAX9030AXT-TG096 Analog Devices / Maxim Integrated	 MAX9031AXK+T Analog Devices Inc./Maxim Integrated IC COMPARATOR 1 GEN PUR SC70-5
 MAX9027EWT+TG7 Analog Devices / Maxim Integrated	 MAX902CSD-T Analog Devices Inc./Maxim Integrated IC COMPARATOR 2 W/LATCH 14SOIC	 MAX9031AEUK Analog Devices / Maxim Integrated	 MAX9027EBT+T Analog Devices Inc./Maxim Integrated IC COMPARATOR 1 GEN PUR 6WLP	 MAX9030AXT Analog Devices Inc./Maxim Integrated IC COMPARATOR 1 GEN PUR SC70-6	 MAX9030AXT+ Analog Devices / Maxim Integrated
 MAX9031AUK Analog Devices / Maxim Integrated	 MAX9028EBT+T Analog Devices Inc./Maxim Integrated IC COMPARATOR 1 GEN PUR 6WLP	 MAX9031AUK+T Analog Devices Inc./Maxim Integrated IC COMPARATOR 1 GEN PUR SOT23-5	 MAX902ESD+T Analog Devices Inc./Maxim Integrated IC COMPARATOR 2 W/LATCH 14SOIC	 MAX9027EWT+T Analog Devices / Maxim Integrated	 MAX902ESD Analog Devices Inc./Maxim Integrated IC COMPARATOR 2 W/LATCH 14SOIC

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
 - > Use our account for the shipment. Refer to the table below for the approximate charges.
- (Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00


Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.
Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -



Contact us if you have any questions.



Certifications & Memberships



[View More](#)