



Image may be representation.
See specifications for product details.



74LCX245MTCX

Manufacturer Part Number	74LCX245MTCX
Manufacturer	onsemi
Allelco Part Number	32D-74LCX245MTCX
ECAD Model	PCB Symbol, Footprint & 3D Model
Parts Description	IC TXRX NON-INVERT 3.6V 20TSSOP
Package	20-TSSOP (0.173", 4.40mm Width)
Data sheet	74LCX245MTCX.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

74LCX245MTCX - onsemi.New Original in Stock. Download Linear Technology 74LCX245MTCX datasheet/specifications on AllelcoElec.com.
Request a quote for 74LCX245MTCX, please send us email: info@allelco.com

Specifications

74LCX245MTCX Tech Specifications
74LCX245MTCX - onsemi technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	onsemi	Number of Elements	1
Voltage - Supply	2V ~ 3.6V	Number of Bits per Element	8
Supplier Device Package	20-TSSOP	Mounting Type	Surface Mount
Series	74LCX	Logic Type	Transceiver, Non-Inverting
Package / Case	20-TSSOP (0.173", 4.40mm Width)	Input Type	-
Package	Tape & Reel (TR)	Current - Output High, Low	24mA, 24mA
Output Type	3-State	Base Product Number	74LCX245
Operating Temperature	-40°C ~ 85°C (TA)		

Parts with Similar Specifications

The three parts on the right have similar specifications to onsemi 74LCX245MTCX

Product Attribute				
Part Number	74LCX245MTCX	74LCX245WMX	74LCX245BQX	74LCX245MTC
Manufacturer	onsemi	Fairchild Semiconductor	onsemi	onsemi
Output Type	3-State	3-State	3-State	3-State
Number of Bits per Element	8	8	8	8
Current - Output High, Low	24mA, 24mA	24mA, 24mA	24mA, 24mA	24mA, 24mA
Voltage - Supply	2V ~ 3.6V	2V ~ 3.6V	2V ~ 3.6V	2V ~ 3.6V
Base Product Number	74LCX245	74LCX245	74LCX245	74LCX245
Input Type	-	-	-	-
Package	Tape & Reel (TR)	Bulk	Tape & Reel (TR)	Tube
Number of Elements	1	1	1	1
Logic Type	Transceiver, Non-Inverting	Transceiver, Non-Inverting	Transceiver, Non-Inverting	Transceiver, Non-Inverting
Supplier Device Package	20-TSSOP	20-SOIC	20-DQFN (2.5x4.5)	20-TSSOP
Series	74LCX	74LCX	74LCX	74LCX
Package / Case	20-TSSOP (0.173", 4.40mm Width)	20-SOIC (0.295", 7.50mm Width)	20-WFQFN Exposed Pad	20-TSSOP (0.173", 4.40mm Width)
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Operating Temperature	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)

74LCX245MTCX Datasheet PDF

Download 74LCX245MTCX pdf datasheets and onsemi documentation for 74LCX245MTCX - onsemi.

Environmental Information

- onsemi RoHS.pdf
- Material Declaration 74LCX245MTCX.pdf

PCN Design/Specification

- Cylindrical Battery Holders.pdf

PCN Packaging



















- Mult Devices 24/Oct/2017.pdf
- Lock Reel Change 23/Nov/2016.pdf

PCN Assembly/Origin

- 2.73KHz.pdf

Customers Also Interested in

Recommended Products

					
74LCX245WMX Fairchild Semiconductor IC TXRX NON-INVERT 3.6V 20SOIC	74LCX257M onsemi IC MULTIPLEXER 4 X 2:1 16SOIC	74LCX245BQX onsemi IC TXRX NON-INVERT 3.6V 20DQFN	74LCX245MTC onsemi IC TXRX NON-INVERT 3.6V 20TSSOP	74LCX245WMX onsemi IC TXRX NON-INVERT 3.6V 20SOIC	74LCX245BQX Fairchild Semiconductor IC TXRX NON-INVERT 3.6V 20DQFN
					
74LCX245MTC Fairchild Semiconductor IC TXRX NON-INVERT 3.6V 20TSSOP	74LCX257M Fairchild Semiconductor MULTIPLEXER, LVC/LCX/Z SERIES, 4	74LCX257MTC onsemi IC MULTIPLEXER 4 X 2:1 16TSSOP	74LCX245MT Fairchild (onsemi)	74LCX245MSAX onsemi IC TXRX NON-INVERT 3.6V 20SSOP	74LCX245WM onsemi IC TXRX NON-INVERT 3.6V 20SOIC
					
74LCX245MTR STMicroelectronics IC TXRX NON-INVERT 3.6V 20SO	74LCX245FT Toshiba Semiconductor and Storage IC TXRX NON-INVERT 3.6V 20TSSOP	74LCX245MSAX Fairchild Semiconductor IC TXRX NON-INVERT 3.6V 20SSOP	74LCX245MSA onsemi IC TXRX NON-INVERT 3.6V 20SSOP	74LCX245TTR STMicroelectronics IC TXRX NON-INVERT 3.6V 20TSSOP	74LCX257 Fairchild (onsemi)

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.


Contact us if you have any questions.

Payment Support


The payment method can be chosen from the methods shown below:
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card,
PayPal.



Your Faithful Supply Chain Partner -



Contact us if you have any questions.



Certifications & Memberships



[View More](#)