


STM32F303R8T6



Specifications

STM32F303R8T6 Tech Specifications

STM32F303R8T6 - STMicroelectronics technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	STMicroelectronics	Oscillator Type	Internal
Voltage - Supply (Vcc/Vdd)	2V ~ 3.6V	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package	64-LQFP (10x10)	Number of I/O	51
Speed	72MHz	Mounting Type	Surface Mount
Series	STM32F3	EEPROM Size	-
RAM Size	16K x 8	Data Converters	A/D 15x12b; D/A 1x12b
Program Memory Type	FLASH	Core Size	32-Bit Single-Core
Program Memory Size	64KB (64K x 8)	Core Processor	ARM® Cortex®-M4
Peripherals	DMA, I ² S, POR, PWM, WDT	Connectivity	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART
Package / Case	64-LQFP	Base Product Number	STM32F303
Package	Tray		

Parts with Similar Specifications

The three parts on the right have similar specifications to STMicroelectronics STM32F303R8T6

Product Attribute	· management	The second second	· manan	innin
Part Number	STM32F303R8T6	STM32F303CBT7	STM32F303RBT6	STM32F303K6T6
Manufacturer	STMicroelectronics	STMicroelectronics	STMicroelectronics	STMicroelectronics
Speed	72MHz	72MHz	72MHz	72MHz
Operating Temperature	-40°C ~ 85°C (TA)	-40°C ~ 105°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)
Voltage - Supply (Vcc/Vdd)	2V ~ 3.6V	2V ~ 3.6V	2V ~ 3.6V	2V ~ 3.6V
Data Converters	A/D 15x12b; D/A 1x12b	A/D 15x12b; D/A 2x12b	A/D 22x12b; D/A 2x12b	A/D 9x12b; D/A 3x12b
Core Processor	ARM® Cortex®-M4	ARM® Cortex®-M4	ARM® Cortex®-M4	ARM® Cortex®-M4
Base Product Number	STM32F303	STM32F303	STM32F303	STM32F303
Package / Case	64-LQFP	48-LQFP	64-LQFP	32-LQFP
Peripherals	DMA, I ² S, POR, PWM, WDT	DMA, I ² S, POR, PWM, WDT	DMA, I ² S, POR, PWM, WDT	DMA, I ² S, POR, PWM, WDT
Program Memory Type	FLASH	FLASH	FLASH	FLASH
Number of I/O	51	37	52	25
Supplier Device Package	64-LQFP (10x10)	48-LQFP (7x7)	64-LQFP (10x10)	32-LQFP (7x7)
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Connectivity	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART, USB	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART, USB	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART
RAM Size	16K x 8	32K x 8	32K x 8	16K x 8
Package	Тгау	Тгау	Тгау	Тгау
Oscillator Type	Internal	Internal	Internal	Internal
EEPROM Size	-	-	-	-
Series	STM32F3	STM32F3	STM32F3	STM32F3
Core Size	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core
Program Memory Size	64KB (64K x 8)	128KB (128K x 8)	128KB (128K x 8)	32KB (32K x 8)

STM32F303R8T6 Datasheet PDF

Download STM32F303R8T6 pdf datasheets and STMicroelectronics documentation for STM32F303R8T6 - STMicroelectronics.

PCN Packaging



Material Barrier Bag 17/Dec/2020.pdf

PCN Design/Specification



Mult Dev Assembly Chg 2/Jul/2019.pdf









HTML Datasheet



Customers Also Interested in

Recommended Products





STM32F303K8T6

STMicroelectronics IC MCU 32BIT 64KB FLASH 32LQFP



STMicroelectronics IC MCU 32BIT 512KB FLASH 100LQFP



STM32F303CBT6TR

STMicroelectronics IC MCU 32BIT 128KB FLASH 48LQFP

STM32F303RCT6

STMicroelectronics IC MCU 32BIT 256KB FLASH 64LQFP

STM32F303RDT6

STMicroelectronics IC MCU 32BIT 384KB FLASH 64LQFP STM32F303C8T6

STMicroelectronics IC MCU 32BIT 64KB FLASH 48LQFP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference				
Region	Country	Logistic Time(Day)		
America	United States	5		
America	Brazil	7		
	Germany	5		
Europe	United Kingdom	4		
	Italy	5		
Oceania	Australia	6		
Oceania	New Zealand	7		
Asia	India	6		
Asia	Japan	7		
Middle East	Israel	6		

DHL & FedEx Shipment Charges Reference				
Shipment charges(KG)	Reference DHL(USD\$)			
0.00kg-1.00kg	USD\$60.00			
1.00kg-2.00kg	USD\$70.00			
2.00kg-3.00kg	USD\$80.00			

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:

Your Faithful Supply Chain Partner -

Certifications & Memberships

IS0

001:20



50





0

Management

Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



٢ ^ŷ	<pre>B</pre>
Efficient Supply	Cost-Saving

Fast Sourcing & Delivery

(+)



Procurement



+00852 9146 4856

Email info@allelco.com







View More



Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong **Phone:** +00852 9146 4856 **Fax:** +00852 3010 8510 Email: info@Allelco.com