



Image may be representation.
See specifications for product details.



STB34NM60N

Manufacturer Part Number	STB34NM60N
Manufacturer	STMicroelectronics
Allelco Part Number	32D-STB34NM60N
ECAD Model	PCB Symbol, Footprint & 3D Model
Parts Description	MOSFET N-CH 600V 29A D2PAK
Package	TO-263-3, D ² Pak (2 Leads + Tab), TO-263AB
Data sheet	STB,P34NM60N.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

STB34NM60N - STMicroelectronics. New Original in Stock. Download Linear Technology STB34NM60N datasheet/specifications on AllelcoElec.com.
Request a quote for STB34NM60N, please send us email: info@allelco.com

Specifications

STB34NM60N Tech Specifications
STB34NM60N - STMicroelectronics technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	STMicroelectronics	Operating Temperature	150°C (TJ)
Vgs(th) (Max) @ Id	4V @ 250µA	Mounting Type	Surface Mount
Vgs (Max)	±25V	Input Capacitance (Ciss) (Max) @ Vds	2722 pF @ 100 V
Technology	MOSFET (Metal Oxide)	Gate Charge (Qg) (Max) @ Vgs	84 nC @ 10 V
Supplier Device Package	D ² PAK (TO-263)	FET Type	N-Channel
Series	MDmesh™ II	FET Feature	-
Rds On (Max) @ Id, Vgs	105mOhm @ 14.5A, 10V	Drive Voltage (Max Rds On, Min Rds On)	10V
Power Dissipation (Max)	250W (Tc)	Drain to Source Voltage (Vdss)	600 V
Package / Case	TO-263-3, D ² Pak (2 Leads + Tab), TO-263AB	Current - Continuous Drain (Id) @ 25°C	29A (Tc)
Package	Tape & Reel (TR)	Base Product Number	STB34

Parts with Similar Specifications

The three parts on the right have similar specifications to STMicroelectronics STB34NM60N

Product Attribute				
Part Number	STB34NM60N	STB33N60DM2	STB35NF10T4	STB35N60DM2
Manufacturer	STMicroelectronics	STMicroelectronics	STMicroelectronics	STMicroelectronics
Base Product Number	STB34	STB33	STB35N	STB35
Power Dissipation (Max)	250W (Tc)	190W (Tc)	115W (Tc)	210W (Tc)
Package / Case	TO-263-3, D ² Pak (2 Leads + Tab), TO-263AB	TO-263-3, D ² Pak (2 Leads + Tab), TO-263AB	TO-263-3, D ² Pak (2 Leads + Tab), TO-263AB	TO-263-3, D ² Pak (2 Leads + Tab), TO-263AB
Vgs(th) (Max) @ Id	4V @ 250µA	5V @ 250µA	4V @ 250µA	5V @ 250µA
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Drive Voltage (Max Rds On, Min Rds On)	10V	10V	10V	10V
Vgs (Max)	±25V	±25V	±20V	±25V
FET Feature	-	-	-	-
Gate Charge (Qg) (Max) @ Vgs	84 nC @ 10 V	43 nC @ 10 V	55 nC @ 10 V	54 nC @ 10 V
Technology	MOSFET (Metal Oxide)	MOSFET (Metal Oxide)	MOSFET (Metal Oxide)	MOSFET (Metal Oxide)
Drain to Source Voltage (Vdss)	600 V	600 V	100 V	600 V
Input Capacitance (Ciss) (Max) @ Vds	2722 pF @ 100 V	1870 pF @ 100 V	1550 pF @ 25 V	2400 pF @ 100 V
Series	MDmesh™ II	MDmesh™ DM2	STripFET™ II	MDmesh™ DM2
Supplier Device Package	D ² PAK (TO-263)	D ² PAK (TO-263)	D2PAK	D ² PAK (TO-263)
FET Type	N-Channel	N-Channel	N-Channel	N-Channel
Rds On (Max) @ Id, Vgs	105mOhm @ 14.5A, 10V	130mOhm @ 12A, 10V	35mOhm @ 17.5A, 10V	110mOhm @ 14A, 10V
Operating Temperature	150°C (TJ)	-55°C ~ 150°C (TJ)	-55°C ~ 175°C (TJ)	-55°C ~ 150°C (TJ)
Current - Continuous Drain (Id) @ 25°C	29A (Tc)	24A (Tc)	40A (Tc)	28A (Tc)
Package	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)

STB34NM60N Datasheet PDF

Download STB34NM60N pdf datasheets and STMicroelectronics documentation for STB34NM60N - STMicroelectronics.

Datasheets

[STB,P34NM60N.pdf](#)



















PCN Packaging

[Mult Dev Inner Box Chg 9/Dec/2021.pdf](#)

PCN Design/Specification

Customers Also Interested in

Recommended Products

 STB33N60DM2 STMicroelectronics MOSFET N-CH 600V 24A D2PAK	 STB34NM65ND STMicroelectronics	 STB35NF10 VBSEMI	 STB35NF10T4 STMicroelectronics MOSFET N-CH 100V 40A D2PAK	 STB35NF10T4 MOS STMicroelectronics	 STB30NS15 STMicroelectronics
 STB35N60DM2 STMicroelectronics MOSFET N-CH 600V 28A D2PAK	 STB30NM60ND STMicroelectronics MOSFET N-CH 600V 25A D2PAK	 STB33N60M2 STMicroelectronics MOSFET N-CH 600V 26A D2PAK	 STB36N60M6 STMicroelectronics MOSFET N-CH 600V 30A D2PAK	 STB36NF03L STMicroelectronics	 STB34NM60ND STMicroelectronics MOSFET N-CH 600V 29A D2PAK
 STB33N65M2 STMicroelectronics MOSFET N-CH 650V 24A D2PAK	 STB32NM50N STMicroelectronics MOSFET N CH 500V 22A D2PAK	 STB32N65M5 STMicroelectronics MOSFET N-CH 650V 24A D2PAK	 STB35N65M5 STMicroelectronics MOSFET N-CH 650V 27A D2PAK	 STB34N65M5 STMicroelectronics MOSFET N-CH 650V 28A D2PAK	 STB31N65M5 STMicroelectronics MOSFET N-CH 650V 22A D2PAK

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
 - > Use our account for the shipment. Refer to the table below for the approximate charges.
- (Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00




Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.
Contact us if you have any questions.

Payment Support



The payment method can be chosen from the methods shown below:
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -

 Efficient Supply Management	 Cost-Saving Procurement	 Fast Sourcing & Delivery
--	--	---

Contact us if you have any questions.

 Phone +00852 9146 4856	 Email info@allelco.com
--	--

Certifications & Memberships



View More