


STM32F103R8T7



Specifications

STM32F103R8T7 Tech Specifications

STM32F103R8T7 - STMicroelectronics technical specifications, attributes, parameters

| Product Attribute | Attribute Value | Product Attribute | Attribute Value |
|----------------------------|--------------------|-----------------------|--------------------|
| Manufacturer | STMicroelectronics | Oscillator Type | Internal |
| Voltage - Supply (Vcc/Vdd) | 2V ~ 3.6V | Operating Temperature | -40°C ~ 105°C (TA) |
| Supplier Device Package | 64-LQFP (10x10) | Number of I/O | 51 |
| Speed | 72MHz | Mounting Type | Surface Mount |
| Series | STM32F1 | EEPROM Size | - |
| RAM Size | 20K x 8 | Data Converters | A/D 16x12b |
| Program Memory Type | FLASH | Core Size | 32-Bit Single-Core |
| Program Memory Size | 64KB (64K x 8) | Core Processor | ARM® Cortex®-M3 |

| Peripherals | DMA, Motor Control PWM, PDR, POR, PVD, PWM, Temp Sensor, WDT | Connectivity | CANbus, I ² C, IrDA, LINbus, SPI, UART/USART, USB |
|----------------|--|---------------------|--|
| Package / Case | 64-LQFP | Base Product Number | STM32F103 |
| Package | Tray | | |

Parts with Similar Specifications

The three parts on the right have similar specifications to STMicroelectronics STM32F103R8T7

| Product Attribute | · manaarta | | | · manaana |
|----------------------------|---|---|---|---|
| Part Number | STM32F103R8T7 | STM32F103R8H6TR | STM32F103RBT7TR | STM32F103R6T7A |
| Manufacturer | STMicroelectronics | STMicroelectronics | STMicroelectronics | STMicroelectronics |
| Package / Case | 64-LQFP | 64-TFBGA | 64-LQFP | 64-LQFP |
| Connectivity | CANbus, I²C, IrDA, LINbus, SPI, UART/USART, USB |
| EEPROM Size | - | - | - | - |
| Program Memory Type | FLASH | FLASH | FLASH | FLASH |
| Supplier Device Package | 64-LQFP (10x10) | 64-TFBGA (5x5) | - | 64-LQFP (10x10) |
| Number of I/O | 51 | 51 | 51 | 51 |
| Package | Тгау | Tape & Reel (TR) | Tape & Reel (TR) | Tray |
| Oscillator Type | Internal | Internal | Internal | Internal |
| Core Size | 32-Bit Single-Core | 32-Bit Single-Core | 32-Bit Single-Core | 32-Bit Single-Core |
| Mounting Type | Surface Mount | Surface Mount | Surface Mount | Surface Mount |
| Program Memory Size | 64KB (64K x 8) | 64KB (64K x 8) | 128KB (128K x 8) | 32KB (32K x 8) |
| Series | STM32F1 | STM32F1 | STM32F1 | STM32F1 |
| RAM Size | 20K x 8 | 20K x 8 | 20K x 8 | 10K x 8 |
| Core Processor | ARM® Cortex®-M3 | ARM® Cortex®-M3 | ARM® Cortex®-M3 | ARM® Cortex®-M3 |
| Operating Temperature | -40°C ~ 105°C (TA) | -40°C ~ 85°C (TA) | -40°C ~ 105°C (TA) | -40°C ~ 105°C (TA) |
| Speed | 72MHz | 72MHz | 72MHz | 72MHz |
| Data Converters | A/D 16x12b | A/D 16x12b | A/D 16x12b | A/D 16x12b |
| Voltage - Supply (Vcc/Vdd) | 2V ~ 3.6V | 2V ~ 3.6V | 2V ~ 3.6V | 2V ~ 3.6V |
| Peripherals | DMA, Motor Control PWM, PDR, POR, PVD, PWM, Temp Sensor, WDT | DMA, Motor Control PWM, PDR, POR, PVD, PWM, Temp Sensor, WDT | DMA, Motor Control PWM, PDR, POR, PVD, PWM, Temp Sensor, WDT | DMA, Motor Control PWM, PDR, POR, PVD, PWM, Temp Sensor, WDT |
| Base Product Number | STM32F103 | STM32F103 | STM32F103 | STM32F103 |

STM32F103R8T7 Datasheet PDF


Download STM32F103R8T7 pdf datasheets and STMicroelectronics documentation for STM32F103R8T7 - STMicroelectronics.

Datasheets

ير

STM32F103x(8,B) Datasheet.pdf

PCN Packaging



STM32F103R8T6TR

STM32F103R6T6ATR

STM32F103R8T6B

STM32F103RBH7

STM32F103R8T6

STM32F103R8H6

STMicroelectronics IC MCU 32BIT 32KB FLASH 64LQFP STMicroelectronics

STMicroelectronics IC MCU 32BIT 128KB FLASH 64BGA

STMicroelectronics IC MCU 32BIT 64KB FLASH 64LQFP

STMicroelectronics IC MCU 32BIT 64KB FLASH 64BGA

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

| Common Countries Logistic Time Reference | | |
|--|----------------|--------------------|
| Region | Country | Logistic Time(Day) |
| America | United States | 5 |
| America | Brazil | 7 |
| | Germany | 5 |
| Europe | United Kingdom | 4 |
| | Italy | 5 |
| Oceania | Australia | 6 |
| Oceania | New Zealand | 7 |
| Asia | India | 6 |
| ASId | Japan | 7 |
| Middle East | Israel | 6 |

| DHL & FedEx Shipment Charges Reference | | |
|--|-------------|--|
| ent charges(KG) | Reference D | |

| Shipment charges(KG) | Reference DHL(USD\$) |
|----------------------|----------------------|
| 0.00kg-1.00kg | USD\$60.00 |
| 1.00kg-2.00kg | USD\$70.00 |
| 2.00kg-3.00kg | USD\$80.00 |

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.


Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card,

PayPal.

VISA MasterCarc EASTWEST BANK PayPal

Your Faithful Supply Chain Partner -



Phone +00852 9146 4856

Email info@allelco.com 28000:2007





View More



Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong **Phone:** +00852 9146 4856 **Fax:** +00852 3010 8510