


STM32F031F4P6



Specifications

STM32F031F4P6 Tech Specifications STM32F031F4P6 - STMicroelectronics technical specifications, attributes, parameters

| Product Attribute | Attribute Value | Product Attribute | Attribute Value |
|----------------------------|--------------------|-----------------------|--------------------|
| Manufacturer | STMicroelectronics | Oscillator Type | Internal |
| Voltage - Supply (Vcc/Vdd) | 2V ~ 3.6V | Operating Temperature | -40°C ~ 85°C (TA) |
| Supplier Device Package | 20-TSSOP | Number of I/O | 15 |
| Speed | 48MHz | Mounting Type | Surface Mount |
| Series | STM32F0 | EEPROM Size | - |
| RAM Size | 4K x 8 | Data Converters | A/D 12x12b |
| Program Memory Type | FLASH | Core Size | 32-Bit Single-Core |
| Program Memory Size | 16KB (16K x 8) | Core Processor | ARM® Cortex®-M0 |

| Peripherals | DMA, I ² S, POR, PWM, WDT | Connectivity | I ² C, IrDA, LINbus, SPI, UART/USART |
|----------------|--------------------------------------|---------------------|---|
| Package / Case | 20-TSSOP (0.173", 4.40mm Width) | Base Product Number | STM32F031 |
| Package | Tube | | |

Parts with Similar Specifications

The three parts on the right have similar specifications to STMicroelectronics STM32F031F4P6

| Product Attribute | 111111111 Hereitelle | AND | EFFE MININ | 1000000 Contraction |
|----------------------------|---|---|---|---|
| Part Number | STM32F031F4P6 | STM32F031F6P6 | STM32F031G6U6TR | STM32F031F6P6TR |
| Manufacturer | STMicroelectronics | STMicroelectronics | STMicroelectronics | STMicroelectronics |
| Number of I/O | 15 | 15 | 23 | 15 |
| Operating Temperature | -40°C ~ 85°C (TA) |
| Speed | 48MHz | 48MHz | 48MHz | 48MHz |
| Program Memory Size | 16KB (16K x 8) | 32KB (32K x 8) | 32KB (32K x 8) | 32KB (32K x 8) |
| Series | STM32F0 | STM32F0 | STM32F0 | STM32F0 |
| Core Processor | ARM® Cortex®-M0 | ARM® Cortex®-M0 | ARM® Cortex®-M0 | ARM® Cortex®-M0 |
| Base Product Number | STM32F031 | STM32F031 | STM32F031 | STM32F031 |
| Supplier Device Package | 20-TSSOP | 20-TSSOP | 28-UFQFPN (4x4) | 20-TSSOP |
| Oscillator Type | Internal | Internal | Internal | Internal |
| RAM Size | 4K x 8 | 4K x 8 | 4K x 8 | 4K x 8 |
| Data Converters | A/D 12x12b | A/D 12x12b | A/D 13x12b | A/D 12x12b |
| Package / Case | 20-TSSOP (0.173", 4.40mm Width) | 20-TSSOP (0.173', 4.40mm Width) | 28-UFQFN Exposed Pad | 20-TSSOP (0.173", 4.40mm Width) |
| Connectivity | I ² C, IrDA, LINbus, SPI, UART/USART |
| Mounting Type | Surface Mount | Surface Mount | Surface Mount | Surface Mount |
| Voltage - Supply (Vcc/Vdd) | 2V ~ 3.6V | 2V ~ 3.6V | 2V ~ 3.6V | 2V ~ 3.6V |
| Peripherals | DMA, I ² S, POR, PWM, WDT |
| Program Memory Type | FLASH | FLASH | FLASH | FLASH |
| Core Size | 32-Bit Single-Core | 32-Bit Single-Core | 32-Bit Single-Core | 32-Bit Single-Core |
| Package | Tube | Tube | Tape & Reel (TR) | Tape & Reel (TR) |
| EEPROM Size | - | - | - | - |

STM32F031F4P6 Datasheet PDF

Download STM32F031F4P6 pdf datasheets and STMicroelectronics documentation for STM32F031F4P6 - STMicroelectronics.

PCN Packaging



Moisture Barrier Bag 09/May/2016.pdf

HTML Datasheet

يگ



Multi Dev 28/Sep/2022.pdf

PCN Design/Specification

STM32F0 31/Mar/2017.pdf 1

Customers Also Interested in


Recommended Products



life.augmented

STM32F030R8T6,32

STMicroelectronics



STM32F031G4U6

STMicroelectronics IC MCU 32BIT 16KB FLASH 28UFQFPN



STM32F030RCT6

STMicroelectronics IC MCU 32BIT 256KB FLASH 64LQFP



STM32F031F6P7

STMicroelectronics IC MCU 32BIT 32KB FLASH 20TSSOP



STM32F031C4T6

STMicroelectronics IC MCU 32BIT 16KB FLASH 48LQFP




STM32F031F4P7

STMicroelectronics IC MCU 32BIT 16KB FLASH 20TSSOP




STM32F031C6T6

STMicroelectronics IC MCU 32BIT 32KB FLASH 48LQFP



STM32F031G4U7

STMicroelectronics IC MCU 32BIT 16KB FLASH 28UFQFPN




STM32F031G6U6

STMicroelectronics IC MCU 32BIT 32KB FLASH 28UFQFN



STMicroelectronics IC MCU 32BIT 32KB FLASH 48LQFP





STM32F031C6T6TR



Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

| Common Countries Logistic Time Reference | | |
|--|----------------|--------------------|
| Region | Country | Logistic Time(Day) |
| America | United States | 5 |
| America | Brazil | 7 |
| | Germany | 5 |
| Europe | United Kingdom | 4 |
| | Italy | 5 |
| Oceania | Australia | 6 |
| Oceania | New Zealand | 7 |
| Asia | India | 6 |
| Asia | Japan | 7 |
| Middle East | Israel | 6 |

| DHL & FedEx Shipment Charges Reference | | |
|--|----------------------|--|
| Shipment charges(KG) | Reference DHL(USD\$) | |
| 0.00kg-1.00kg | USD\$60.00 | |
| 1.00kg-2.00kg | USD\$70.00 | |
| 2.00kg-3.00kg | USD\$80.00 | |

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:

Your Faithful Supply Chain Partner -

Certifications & Memberships

IS0

001:20



50





0

Management

Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



| ٢ ^ŷ | <pre>B</pre> |
|------------------|--------------|
| Efficient Supply | Cost-Saving |

Fast Sourcing & Delivery

(+)



Procurement



+00852 9146 4856

Email info@allelco.com







View More



Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong **Phone:** +00852 9146 4856 **Fax:** +00852 3010 8510 Email: info@Allelco.com