


NCV7708FDWR2G



Specifications

NCV7708FDWR2G Tech Specifications NCV7708FDWR2G - onsemi technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	onsemi	Operating Temperature	-40°C ~ 150°C (TJ)
Voltage - Supply	3.15V ~ 5.25V	Mounting Type	Surface Mount
Voltage - Load	5.5V ~ 28V	Motor Type - Stepper	-
Technology	Power MOSFET	Motor Type - AC, DC	Brushed DC
Supplier Device Package	28-SOIC	Interface	SPI
Step Resolution	-	Function	Driver - Fully Integrated, Control and Power Stage
Series	-	Current - Output	500mA

Package / Case	28-SOIC (0.295", 7.50mm Width)	Base Product Number	NCV7708
Package	Tape & Reel (TR)	Applications	DC Motors, General Purpose
Output Configuration	Half Bridge (6)		

Parts with Similar Specifications

The three parts on the right have similar specifications to onsemi NCV7708FDWR2G

Product Attribute	enternannen Attititititit	Att Hilli	All All All All	Antonia
Part Number	NCV7708FDWR2G	NCV7720DQAR2G	NCV7708FDQR2G	NCV7720DQR2G
Manufacturer	onsemi	onsemi	onsemi	onsemi
Interface	SPI	SPI	SPI	SPI
Step Resolution	-	-	-	-
Package	Tape & Reel (TR)			
Series	-	Automotive, AEC-Q100	-	Automotive, AEC-Q100
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Package / Case	28-SOIC (0.295", 7.50mm Width)	24-LSSOP (0.154", 3.90mm Width) Exposed Pad	24-LSSOP (0.154", 3.90mm Width) Exposed Pad	24-LSSOP (0.154", 3.90mm Width) Exposed Pad
Motor Type - Stepper	-	-	-	-
Voltage - Load	5.5V ~ 28V	5.5V ~ 28V	5.5V ~ 28V	5.5V ~ 28V
Current - Output	500mA	550mA	500mA	550mA
Supplier Device Package	28-SOIC	24-SSOP-EP	24-SSOP-EP	24-SSOP-EP
Output Configuration	Half Bridge (6)	Half Bridge (10)	Half Bridge (6)	Half Bridge (10)
Base Product Number	NCV7708	NCV7720	NCV7708	NCV7720
Applications	DC Motors, General Purpose	General Purpose	DC Motors, General Purpose	General Purpose
Function	Driver - Fully Integrated, Control and Power Stage			
Operating Temperature	-40°C ~ 150°C (TJ)			
Voltage - Supply	3.15V ~ 5.25V	3.15V ~ 5.25V	3.15V ~ 5.25V	3.15V ~ 5.25V
Technology	Power MOSFET	Power MOSFET	Power MOSFET	Power MOSFET
Motor Type - AC, DC	Brushed DC	-	Brushed DC	-


NCV7708FDWR2G Datasheet PDF

Download NCV7708FDWR2G pdf datasheets and onsemi documentation for NCV7708FDWR2G - onsemi.


Datasheets

NCV7708F.pdf

Environmental Information



PCN Obsolescence/ EOL







NCV7720DQAR2G

onsemi IC MOTOR DRIVER 24SSOP

NCV7718DPR2G

onsemi

IC MOTOR DRVR 3.15V-5.25V

24SSOP



NCV7708FDQR2G

onsemi IC MOTOR DRVR 3.15V-5.25V 24SSOP

NCV7719DQR2G

onsemi


IC MOTOR DRVR 3.15V-5.25V

24SSOP



NCV7707DQBR2G

onsemi IC DRIVER HALF BRIDGE 36SSOP





NCV7720DQR2G

onsemi IC MOTOR DRVR 3.15V-5.25V 24SSOP



NCV7708EDWR2G

onsemi IC HALF BRIDGE DRIVER DUAL

28SOI






NCV7721D2R2G

onsemi

IC HALF BRIDGE DRIVER 3A 14SOIC

NCV7718BDQR2G

onsemi IC MOTOR DRVR 3.15V-5.25V 24SSOP



NCV7708BDW

AMI Semiconductor/onsemi



ON Semiconductor*

NCV7708BDWR

AMI Semiconductor/onsemi







NCV7708CDWR2G

onsemi

IC MOTOR DRIVER 3V-5.25V 28SOIC



























NCV7718CDPR2G

NCV7719DQAR2G

NCV7708BDR2G

NCV7707DQR2G

NCV7710DQR2G



onsemi IC DRIVER HALF BRIDGE HEX 28SOIC

onsemi IC MOTOR DRIVER 24SSOP

onsemi IC MOTOR DRIVER 24SSOP AMI Semiconductor/onsemi

onsemi IC DRIVER HALF BRIDGE HEX

onsemi IC MOTOR DRVR 4.5V-5.25V 36SSOP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
America	Brazil	7
	Germany	5
Europe	United Kingdom	4
	Italy	5
Oceania	Australia	6
Oceania	New Zealand	7
Asia	India	6
ASId	Japan	7
Middle East	Israel	6

nipment charges(KG)	Reference DHL(US

DHL & FedEx Shipment Charges Reference

Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

Certifications & Memberships


Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card,

PayPal.

VISA MasterCarc EASTWEST BANK PayPal

Your Faithful Supply Chain Partner -



Phone +00852 9146 4856

Email info@allelco.com 28000:2007





View More



Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong **Phone:** +00852 9146 4856 **Fax:** +00852 3010 8510