

Image may be representation.  
See specifications for product details.



## MC3403PG

Manufacturer Part Number	<b>MC3403PG</b>
Manufacturer	<b>onsemi</b>
Allelco Part Number	32D-MC3403PG
ECAD Model	Request Free CAD Models
Parts Description	IC OPAMP GP 4 CIRCUIT 14DIP
Package	14-DIP (0.300", 7.62mm)
Data sheet	<b>MC3403, 3303.pdf</b>

**Get a Quote**

MC3403PG - onsemi.New Original in Stock. Download Linear Technology MC3403PG datasheet/specifications on AllelcoElec.com.  
Request a quote for MC3403PG, please send us email: [info@allelco.com](mailto:info@allelco.com)

## Specifications

MC3403PG Tech Specifications  
MC3403PG - onsemi technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	onsemi	Operating Temperature	0°C ~ 70°C
Voltage - Supply Span (Min)	3 V	Number of Circuits	4
Voltage - Supply Span (Max)	36 V	Mounting Type	Through Hole
Voltage - Input Offset	2 mV	Gain Bandwidth Product	1 MHz
Supplier Device Package	14-PDIP	Current - Supply	2.8mA (x4 Channels)
Slew Rate	0.6V/μs	Current - Output / Channel	30 mA
Series	-	Current - Input Bias	200 nA
Package / Case	14-DIP (0.300", 7.62mm)	Base Product Number	MC3403P
Package	Tube	Amplifier Type	General Purpose
Output Type	Differential		

## Parts with Similar Specifications

The three parts on the right have similar specifications to onsemi MC3403PG

Product Attribute				
Part Number	MC3403PG	MC3403PWR	MC3403DT	MC3403DR2G
Manufacturer	onsemi	Texas Instruments	STMicroelectronics	onsemi
Mounting Type	Through Hole	Surface Mount	Surface Mount	Surface Mount
Voltage - Input Offset	2 mV	2 mV	1 mV	2 mV
Base Product Number	MC3403P	MC3403	MC3403	MC3403
Voltage - Supply Span (Max)	36 V	30 V	36 V	36 V
Package / Case	14-DIP (0.300", 7.62mm)	14-TSSOP (0.173", 4.40mm Width)	14-SOIC (0.154", 3.90mm Width)	14-SOIC (0.154", 3.90mm Width)
Number of Circuits	4	4	4	4
Current - Input Bias	200 nA	200 nA	40 nA	200 nA
Series	-	-	-	-
Slew Rate	0.6V/μs	0.6V/μs	0.5V/μs	0.6V/μs
Current - Supply	2.8mA (x4 Channels)	2.8mA (x4 Channels)	2.8mA (x4 Channels)	2.8mA (x4 Channels)
Operating Temperature	0°C ~ 70°C	0°C ~ 70°C (TA)	0°C ~ 70°C	0°C ~ 70°C
Voltage - Supply Span (Min)	3 V	5 V	3 V	3 V
Output Type	Differential	-	-	Differential
Amplifier Type	General Purpose	General Purpose	General Purpose	General Purpose
Package	Tube	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)
Gain Bandwidth Product	1 MHz	1 MHz	1 MHz	1 MHz
Current - Output / Channel	30 mA	30 mA	30 mA	30 mA
Supplier Device Package	14-PDIP	14-TSSOP	14-SO	14-SOIC

## MC3403PG Datasheet PDF

Download MC3403PG pdf datasheets and onsemi documentation for MC3403PG - onsemi.

### Datasheets

[MC3403, 3303.pdf](#)

### Environmental Information

[onsemi REACH.pdf](#)



















[onsemi RoHS.pdf](#)

### PCN Obsolescence/ EOL

[Multiple Devices 18/Apr/2013.pdf](#)

## Customers Also Interested in

### Recommended Products

 <b>MC3403PWR</b> Texas Instruments IC OPAMP GP 4 CIRCUIT 14TSSOP	 <b>MC34058FTA</b> MOTOROLA	 <b>MC34050D</b> MOTOROLA	 <b>MC3403DT</b> STMicroelectronics IC OPAMP GP 4 CIRCUIT 14SO	 <b>MC3403DR2G</b> onsemi IC OPAMP GP 4 CIRCUIT 14SOIC	 <b>MC3403DR2GOSDKR-ND</b> AMI Semiconductor/onsemi
 <b>MC34050</b> MOTOROLA	 <b>MC34050P</b> MOTOROLA	 <b>MC34051P</b> MOTOROLA	 <b>MC3403N</b> Texas Instruments IC OPAMP GP 4 CIRCUIT 14DIP	 <b>MC3403NSR</b> Texas Instruments IC OPAMP GP 4 CIRCUIT 14SO	 <b>MC3403L</b> MOTOROLA
 <b>MC3403NSLE</b> Texas Instruments	 <b>MC3403N</b> STMicroelectronics IC OPAMP GP 4 CIRCUIT 14DIP	 <b>MC34055DWR2</b> MOTOROLA	 <b>MC34051DR2G</b> AMI Semiconductor/onsemi	 <b>MC3403DRG4</b> Texas Instruments	 <b>MC3403P</b> onsemi IC OPAMP QUAD DIFF INPUT 14DIP

## Shipment

### Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

### Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

### Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

**Note:** The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.


### Payment Support

The payment method can be chosen from the methods shown below:


Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



### Your Faithful Supply Chain Partner -



Contact us if you have any questions.



### Certifications & Memberships



[View More](#)