



Image may be representation.
See specifications for product details.



DS1232LPS-2+

Manufacturer Part Number	DS1232LPS-2+
Manufacturer	Maxim Integrated
Allelco Part Number	32D-DS1232LPS-2+
ECAD Model	Request Free CAD Models
Parts Description	IC SUPERVISOR 1 CHANNEL 8SOIC
Package	8-SOIC (0.154', 3.90mm Width)
Data sheet	DS1232LP(S).pdf
RoHs Status	ROHS3 Compliant

Get a Quote

DS1232LPS-2+ - Analog Devices Inc./Maxim Integrated.New Original in Stock. Download Linear Technology DS1232LPS-2+ datasheet/specifications on AllelcoElec.com. Request a quote for DS1232LPS-2+, please send us email: info@allelco.com

Specifications

DS1232LPS-2+ Tech Specifications

DS1232LPS-2+ - Analog Devices Inc./Maxim Integrated technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Maxim Integrated	Package / Case	8-SOIC (0.154', 3.90mm Width)
Voltage - Threshold	4.37V, 4.62V	Package	Tube
Type	Simple Reset/Power-On Reset	Output	Open Drain, Push-Pull
Supplier Device Package	8-SOIC	Operating Temperature	0°C ~ 70°C (TA)
Series	MicroMonitor™	Number of Voltages Monitored	1
Reset Timeout	Adjustable/Selectable	Mounting Type	Surface Mount
Reset	Active High/Active Low	Base Product Number	DS1232LP

Parts with Similar Specifications

The three parts on the right have similar specifications to Analog Devices Inc./Maxim Integrated DS1232LPS-2+

Product Attribute				
Part Number	DS1232LPS-2+	DS1232LPS	DS1232LPN+	DS1232LPS-2
Manufacturer	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated
Package / Case	8-SOIC (0.154', 3.90mm Width)	16-SOIC (0.295', 7.50mm Width)	8-DIP (0.300", 7.62mm)	8-SOIC (0.154", 3.90mm Width)
Type	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset
Series	MicroMonitor™	MicroMonitor™	MicroMonitor™	MicroMonitor™
Reset Timeout	Adjustable/Selectable	Adjustable/Selectable	Adjustable/Selectable	Adjustable/Selectable
Supplier Device Package	8-SOIC	16-SOIC	8-PDIP	8-SOIC
Base Product Number	DS1232LP	DS1232LP	DS1232LP	DS1232LP
Reset	Active High/Active Low	Active High/Active Low	Active High/Active Low	Active High/Active Low
Operating Temperature	0°C ~ 70°C (TA)	0°C ~ 70°C (TA)	-40°C ~ 85°C (TA)	0°C ~ 70°C (TA)
Output	Open Drain, Push-Pull	Open Drain, Push-Pull	Open Drain, Push-Pull	Open Drain, Push-Pull
Mounting Type	Surface Mount	Surface Mount	Through Hole	Surface Mount
Voltage - Threshold	4.37V, 4.62V	4.37V, 4.62V	4.37V, 4.62V	4.37V, 4.62V
Package	Tube	Tube	Tube	Tube
Number of Voltages Monitored	1	1	1	1

DS1232LPS-2+ Datasheet PDF

Download DS1232LPS-2+ pdf datasheets and Analog Devices Inc./Maxim Integrated documentation for DS1232LPS-2+ - Analog Devices Inc./Maxim Integrated.

Datasheets

[DS1232LP\(S\).pdf](#)

Environmental Information

[Maxim Integrated RoHS Cert.pdf](#)

[Material Declaration DS1232LPS-2+.pdf](#)

Customers Also Interested in

Recommended Products



DS1232LPS-2/TR
DALLAS



DS1232LPS+T
MAXIM/DS



DS1232LPS
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 16SOIC



DS1232LPN+
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8DIP



DS1232LPS-2
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC



DS1232LP
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8DIP



DS1232LP+

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8DIP

DS1232LPSN+TR

Analog Devices / Maxim Integrated

DS1232LPSN

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 16SOIC

DS1232LPSN+

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 16SOIC

DS1232LPS-2+T&R

DS

DS1232LPS+T&R

DALLAS



DS1232LPS-2+T&R

Analog Devices / Maxim Integrated

DS1232LPN

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8DIP

DS1232LPS-2+T

Analog Devices / Maxim Integrated

DS1232LPS-2+T&R

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC

DS1232LN

DALLAS

DS1232LPS-2+TR

Analog Devices / Maxim Integrated

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference

Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference

Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.
Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -



Efficient Supply Management



Cost-Saving Procurement



Fast Sourcing & Delivery

Contact us if you have any questions.



Phone

+00852 9146 4856



Email

info@allelco.com

Certifications & Memberships



View More



Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong

Phone: +00852 9146 4856

Fax: +00852 3010 8510

Email: info@allelco.com

Copyright © 2012-2023 AllelcoElec.com. All rights reserved.