

NCV213RSQT2G

Manufacturer Part Number NCV213RSQT2G

Manufacturer onsemi

Package

32D-NCV213RSQT2G Allelco Part Number

PCB Symbol, Footprint & 3D Mode ECAD Model

IC CURRENT SENSE 1 CIRCUIT SC88 Parts Description

6-TSSOP, SC-88, SOT-363

NCS21xR, NCV21xR.pdf Data sheet

ROHS3 Compliant RoHs Status

Get a Quote

Image may be representation.

See specifications for product details.



NCV213RSQT2G - onsemi.New Original in Stock. Download Linear Technology NCV213RSQT2G datasheet/specifications on AllelcoElec.com. Request a quote for NCV213RSQT2G, please send us email: info@allelco.com

Specifications

NCV213RSQT2G Tech Specifications

NCV213RSQT2G - onsemi technical specifications, attributes, parameters

The variable of the continuous operations of the continuous of the				
Product Attribute	Attribute Value	Product Attribute	Attribute Value	
Manufacturer	onsemi	Output Type	Rail-to-Rail	
Voltage - Supply Span (Min)	2.2 V	Operating Temperature	-40°C ~ 125°C (TA)	
Voltage - Supply Span (Max)	26 V	Number of Circuits	1	
Voltage - Input Offset	5 μV	Mounting Type	Surface Mount	
Supplier Device Package	SC-88/SC70-6/SOT-363	Current - Supply	40μΑ	
Slew Rate	1V/μs	Current - Input Bias	39 μΑ	
Series	Automotive, AEC-Q100, Zero-Drift	Base Product Number	NCV213	
Package / Case	6-TSSOP, SC-88, SOT-363	Amplifier Type	Current Sense	
Package	Tape & Reel (TR)	-3db Bandwidth	90 kHz	

Parts with Similar Specifications

The three parts on the right have similar specifications to onsemi NCV213RSQT2G

Product Attribute				
Part Number	NCV213RSQT2G	NCV20082DMR2G	NCV21871SQ3T2G	NCV20091SN2T1G
Manufacturer	onsemi	onsemi	onsemi	onsemi
Base Product Number	NCV213	NCV20082	NCV21871	NCV20091
Current - Input Bias	39 μΑ	1 pA	60 pA	1 pA
Package	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)
Operating Temperature	-40°C ~ 125°C (TA)	-40°C ~ 125°C (TA)	-40°C ~ 125°C (TA)	-40°C ~ 125°C
Series	Automotive, AEC-Q100, Zero-Drift	-	Automotive, AEC-Q100, Zero-Drift	Automotive, AEC-Q100
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Voltage - Supply Span (Max)	26 V	5.5 V	5.5 V	5.5 V
Output Type	Rail-to-Rail	Rail-to-Rail	Rail-to-Rail	Rail-to-Rail
-3db Bandwidth	90 kHz	-	-	-
Number of Circuits	1	2	1	1
Amplifier Type	Current Sense	General Purpose	General Purpose	General Purpose
Voltage - Supply Span (Min)	2.2 V	1.8 V	1.8 V	1.8 V
Supplier Device Package	SC-88/SC70-6/SOT-363	8-MSOP	SC-88A (SC-70-5/SOT-353)	5-TSOP
Package / Case	6-TSSOP, SC-88, SOT-363	8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	5-TSSOP, SC-70-5, SOT-353	SOT-23-5 Thin, TSOT-23-5
Current - Supply	40μΑ	48µA (x2 Channels)	28μΑ	23μΑ
Slew Rate	1V/μs	0.4V/μs	0.1V/μs	0.15V/μs
Voltage - Input Offset	5 μV	500 μV	6 μV	500 μV

NCV213RSQT2G Datasheet PDF

Download NCV213RSQT2G pdf datasheets and onsemi documentation for NCV213RSQT2G - onsemi.

Datasheets



Environmental Information

onsemi REACH.pdf	onsemi RoHS.pdf

Customers Also Interested in




NCV20082DMR2G onsemi

IC OPAMP GP 2 CIRCUIT 8MSOP



NCV2250SN2T1G





onsemi

IC COMPARATOR 1 GEN PUR 5TSOP

NCV2250SN2T3G



NCV21871SQ3T2G





NCV2250SQ2T2G

onsemi

IC COMPARATOR 1 GEN PUR SC88A





onsemi

IC COMPARATOR 1 GEN PUR 5TSOP



NCV20091SN2T1G

onsemi IC OPAMP GP 1 CIRCUIT 5TSOP



NCV20084DR2G

onsemi IC OPAMP GP 4 CIRCUIT 14SOIC



NCV214RSQT2G

onsemi IC CURRENT SENSE 1 CIRCUIT SC88



NCV20092DR2G

onsemi IC OPAMP GP 2 CIRCUIT 8SOIC



NCV2211DR2G

onsemi

IC AMP CLASS AB MONO 1W 8SOIC



NCV20082DR2G

onsemi

IC OPAMP GP 2 CIRCUIT 8SOIC



NCV20094DR2G

onsemi IC OPAMP GP 4 CIRCUIT 14SOIC



NCV2200SQ2T2G

onsemi IC COMPARATOR 1 GEN PUR SC88A



NCV20074DTBR2G

onsemi IC OPAMP GP 4 CIRCUIT 14TSSOP



NCV2202SN2T1G

onsemi IC COMPARATOR 1 GEN PUR 5TSOP



NCV211RSQT2G onsemi IC CURRENT SENSE 1 CIRCUIT SC88



NCV2200SN1T1G

onsemi

IC COMPARATOR 1 GEN PUR 5TSOP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference				
Region	Country	Logistic Time(Day)		
America	United States	5		
America	Brazil	7		
	Germany	5		
Europe	United Kingdom	4		
	Italy	5		
Oceania	Australia	6		
Oceania	New Zealand	7		
Asia	India	6		
ASIG	Japan	7		
Middle East	Israel	6		

DHL & FedEx Shipment Charges Reference Shipment charges(KG) Reference DHL(USD\$) USD\$60.00 0.00kg-1.00kg USD\$70.00 1.00kg-2.00kg 2.00kg-3.00kg USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.
























Phone +00852 9146 4856

















View More



Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong **Phone:** +00852 9146 4856

Fax: +00852 3010 8510

Email: info@Allelco.com