



Image may be representation.  
See specifications for product details.



## STTH1R02U

Manufacturer Part Number	<b>STTH1R02U</b>
Manufacturer	<b>STMicroelectronics</b>
Allelco Part Number	32D-STTH1R02U
ECAD Model	PCB Symbol, Footprint & 3D Model
Parts Description	DIODE GEN PURP 200V 1.5A SMB
Package	DO-214AA, SMB
Data sheet	<b>STTH1R02.pdf</b>
RoHs Status	ROHS3 Compliant

**Get a Quote**

STTH1R02U - STMicroelectronics.New Original in Stock. Download Linear Technology STTH1R02U datasheet/specifications on AllelcoElec.com.  
Request a quote for STTH1R02U, please send us email: [info@allelco.com](mailto:info@allelco.com)

### Specifications

STTH1R02U Tech Specifications  
STTH1R02U - STMicroelectronics technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	STMicroelectronics	Package / Case	DO-214AA, SMB
Voltage - Forward (Vf) (Max) @ If	1 V @ 1.5 A	Package	Tape & Reel (TR)
Voltage - DC Reverse (Vr) (Max)	200 V	Operating Temperature - Junction	175°C (Max)
Technology	Standard	Mounting Type	Surface Mount
Supplier Device Package	SMB	Current - Reverse Leakage @ Vr	3 µA @ 200 V
Speed	Fast Recovery =< 500ns, > 200mA (Io)	Current - Average Rectified (Io)	1.5A
Series	-	Capacitance @ Vr, F	-
Reverse Recovery Time (trr)	30 ns	Base Product Number	STTH1

### Parts with Similar Specifications

The three parts on the right have similar specifications to STMicroelectronics STTH1R02U

Product Attribute				
Part Number	STTH1R02U	STTH1L06	STTH1R02A	STTH1R04A
Manufacturer	STMicroelectronics	STMicroelectronics	STMicroelectronics	STMicroelectronics
Technology	Standard	Standard	Standard	Standard
Voltage - DC Reverse (Vr) (Max)	200 V	600 V	200 V	400 V
Base Product Number	STTH1	STTH1	STTH1	STTH1
Speed	Fast Recovery =< 500ns, > 200mA (Io)	Fast Recovery =< 500ns, > 200mA (Io)	Fast Recovery =< 500ns, > 200mA (Io)	Fast Recovery =< 500ns, > 200mA (Io)
Reverse Recovery Time (trr)	30 ns	80 ns	30 ns	30 ns
Series	-	-	-	-
Mounting Type	Surface Mount	Through Hole	Surface Mount	Surface Mount
Supplier Device Package	SMB	DO-41	SMA	SMA
Package / Case	DO-214AA, SMB	DO-204AL, DO-41, Axial	DO-214AC, SMA	DO-214AC, SMA
Current - Reverse Leakage @ Vr	3 µA @ 200 V	1 µA @ 600 V	3 µA @ 200 V	5 µA @ 400 V
Operating Temperature - Junction	175°C (Max)	175°C (Max)	175°C (Max)	175°C (Max)
Capacitance @ Vr, F	-	-	-	-
Package	Tape & Reel (TR)	Cut Tape (CT)	Tape & Reel (TR)	Tape & Reel (TR)
Voltage - Forward (Vf) (Max) @ If	1 V @ 1.5 A	1.3 V @ 1 A	1 V @ 1.5 A	1.5 V @ 1 A
Current - Average Rectified (Io)	1.5A	1A	1.5A	1A

### STTH1R02U Datasheet PDF

Download STTH1R02U pdf datasheets and STMicroelectronics documentation for STTH1R02U - STMicroelectronics.

#### Datasheets

[STTH1R02.pdf](#)

#### PCN Packaging



[Box Label Chg 28/Jul/2016.pdf](#)

#### PCN Assembly/Origin

[Assembly 17/Sep/2020.pdf](#)

### Customers Also Interested in

#### Recommended Products

**STTH1L06**STMicroelectronics  
DIODE GEN PURP 600V 1A DO41**STTH1R02A**STMicroelectronics  
DIODE GEN PURP 200V 1.5A SMA**STTH1R04A**STMicroelectronics  
DIODE GEN PURP 400V 1A SMA**STTH1R04U**STMicroelectronics  
DIODE GEN PURP 400V 1A SMB**STTH1R02QRL**STMicroelectronics  
DIODE GEN PURP 200V 1.5A DO15**STTH1R06**STMicroelectronics  
DIODE GEN PURP 600V 1A DO41**STTH1R02ZF**STMicroelectronics  
DIODE GEN PURP 200V 1A SOD123F**STTH1L06A**STMicroelectronics  
DIODE GEN PURP 600V 1A SMA**STTH1R04RL**STMicroelectronics  
DIODE GEN PURP 400V 1A DO41**STTH1R02ZFY**STMicroelectronics  
DIODE GEN PURP 200V 1A SOD123F**STTH16R04CG-TR**STMicroelectronics  
DIODE ARRAY GP 400V 8A D2PAK**STTH1R02RL**STMicroelectronics  
DIODE GEN PURP 200V 1.5A DO41**STTH16R04CT**STMicroelectronics  
DIODE ARRAY GP 400V 8A TO220AB**STTH1R02U-TR**

STMicroelectronics

**STTH1R04**STMicroelectronics  
DIODE GEN PURP 400V 1A DO41**STTH1R02Q**STMicroelectronics  
DIODE GEN PURP 200V 1.5A DO15**STTH1R04Q**STMicroelectronics  
DIODE GEN PURP 400V 1A DO15**STTH1L06U**STMicroelectronics  
DIODE GEN PURP 600V 1A SMB

## Shipment

### Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

### Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

### Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.  
Contact us if you have any questions.

## Payment Support

The payment method can be chosen from the methods shown below:  
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



## Your Faithful Supply Chain Partner -



Efficient Supply Management



Cost-Saving Procurement



Fast Sourcing & Delivery

Contact us if you have any questions.



Phone  
+00852 9146 4856



Email  
info@allelco.com

## Certifications & Memberships



[View More](#)