



Image may be representation.

See specifications for product details.

ON Semiconductor®

NCP551SN28T1G

Manufacturer Part Number NCP551SN28T1G

Manufacturer **onsemi**

ECAD Model

Data sheet

Allelco Part Number 32D-NCP551SN28T1G

Request Free CAD Models

Parts Description IC REG LINEAR 2.8V 150MA 5TSOP

Package SOT-23-5 Thin, TSOT-23-5

Cylindrical Battery Holders.pdf

NCP, NCV551.pdf

RoHs Status ROHS3 Compliant

Get a Quote

NCP551SN28T1G - onsemi.New Original in Stock. Download Linear Technology NCP551SN28T1G datasheet/specifications on AllelcoElec.com. Request a quote for NCP551SN28T1G, please send us email: info@allelco.com

Specifications

NCP551SN28T1G Tech Specifications

 ${\tt NCP551SN28T1G-onsemi\ technical\ specifications,\ attributes,\ parameters}$

Ner 3313N2011G - Onsemi technical specifications, attributes, parameters			
Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	onsemi	Output Type	Fixed
Voltage Dropout (Max)	0.15V @ 10mA	Output Configuration	Positive
Voltage - Output (Min/Fixed)	2.8V	Operating Temperature	-40°C ∼ 85°C
Voltage - Output (Max)	-	Number of Regulators	1
Voltage - Input (Max)	12V	Mounting Type	Surface Mount
Supplier Device Package	5-TSOP	Current - Supply (Max)	8 μΑ
Series	-	Current - Quiescent (Iq)	8 μΑ
Protection Features	Over Current, Over Temperature	Current - Output	150mA
Package / Case	SOT-23-5 Thin, TSOT-23-5	Control Features	Enable
Package	Tape & Reel (TR)	Base Product Number	NCP551

Parts with Similar Specifications

PSRR

The three parts on the right have similar specifications to onsemi NCP551SN28T1G

The three parts on the right have similar op				
Product Attribute				
Part Number	NCP551SN28T1G	NCP551SN33T1G	NCP552SQ33T1	NCP553SQ15T1
Manufacturer	onsemi	onsemi	onsemi	onsemi
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Current - Output	150mA	150mA	80mA	80mA
Package / Case	SOT-23-5 Thin, TSOT-23-5	SOT-23-5 Thin, TSOT-23-5	SC-82A, SOT-343	SC-82A, SOT-343
Series	-	-	NOCAP™	NOCAP™
Supplier Device Package	5-TSOP	5-TSOP	SC-82AB	SC-82AB
Voltage Dropout (Max)	0.15V @ 10mA	0.15V @ 10mA	1V @ 80mA	1.8V @ 80mA
Current - Quiescent (Iq)	8 μΑ	8 μΑ	1 μΑ	1 μΑ
Current - Supply (Max)	8 μΑ	8 μΑ	6 µA	6 µА
Voltage - Input (Max)	12V	12V	12V	12V
Number of Regulators	1	1	1	1
Protection Features	Over Current, Over Temperature			
Base Product Number	NCP551	NCP551	NCP552	NCP553
Output Type	Fixed	Fixed	Fixed	Fixed
Package	Tape & Reel (TR)			
Control Features	Enable	Enable	Enable	-
Operating Temperature	-40°C ~ 85°C	-40°C ~ 85°C	-40°C ∼ 85°C	-40°C ~ 85°C
Voltage - Output (Max)	-	-	-	-
PSRR	-	-	-	-
Voltage - Output (Min/Fixed)	2.8V	3.3V	3.3V	1.5V
Output Configuration	Positive	Positive	Positive	Positive

NCP551SN28T1G Datasheet PDF

Download NCP551SN28T1G pdf datasheets and onsemi documentation for NCP551SN28T1G - onsemi.

Datasheets



Cylindrical Battery Holders.pdf

Environmental Information









PCN Assembly/Origin



Wafer Fab 29/Sep/2022.pdf

HTML Datasheet



NCP, NCV551.pdf

PCN Design/Specification



Cylindrical Battery Holders.pdf

Customers Also Interested in

Recommended Products





IC REG LINEAR 3.3V 150MA 5TSOP



NCP552SQ33T1

onsemi
IC REG LINEAR 3.3V 80MA SC82AB



NCP553SQ15T1

onsemi
IC REG LINEAR 1.5V 80MA SC82AB



NCP551SN27T1G onsemi

IC REG LINEAR 2.7V 150MA 5TSOP



NCP551SN50T1G

onsemi
IC REG LINEAR 5V 150MA 5TSOP



NCP553SQ18T1

IC REG LINEAR 1.8V 80MA SC82AB



NCP551SN15T1

onsemi
IC REG LINEAR 1.5V 150MA 5TSOP



NCP553SQ18T1G

onsemi
IC REG LINEAR 1.8V 80MA SC82AB

NCP5501DT50RKG

onsemi

IC REG LINEAR 5V 500MA DPAK



NCP551SN15T1G

onsemi
IC REG LINEAR 1.5V 150MA 5TSOP



NCP551SN32T1G

onsemi
IC REG LINEAR 3.2V 150MA 5TSOP



NCP551SN25T1

onsemi
IC REG LINEAR 2.5V 150MA 5TSOP



NCP5504DTRKG
onsemi

IC REG LINEAR POS ADJ DPAK-5



NCP551SN18T1G onsemi

IC REG LINEAR 1.8V 150MA 5TSOP





NCP553SQ15T1G

onsemi

IC REG LINEAR 1.5V 80MA SC82AB



NCP551SN33T1
onsemi

IC REG LINEAR 3.3V 150MA 5TSOP



NCP551SN30T1G onsemi

IC REG LINEAR 3V 150MA 5TSOP



NCP551SN25T1G

onsemi
IC REG LINEAR 2.5V 150MA 5TSOP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference				
Region	Country	Logistic Time(Day)		
America	United States	5		
America	Brazil	7		
	Germany	5		
Europe	United Kingdom	4		
	Italy	5		
Oceania	Australia	6		
Oceania	New Zealand	7		
Asia	India	6		
Asia	Japan	7		
Middle East	Israel	6		

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.

DHL & FedEx Shipment Charges Reference				
Shipment charges(KG)	Reference DHL(USD\$)			
0.00kg-1.00kg	USD\$60.00			
1.00kg-2.00kg	USD\$70.00			
2.00kg-3.00kg	USD\$80.00			

Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.











Your Faithful Supply Chain Partner -



Management



Procurement



Fast Sourcing & Delivery

Contact us if you have any questions.



Phone +00852 9146 4856



Certifications & Memberships













View More

WWW.ALLELCOELEC.COM

Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong Phone: +00852 9146 4856

Fax: +00852 3010 8510

Email: info@Allelco.com