

# $\checkmark$

# FCH47N60F-F133

Manufacturer Part Number	FCH47N60F-F133		
Manufacturer	onsemi		
Allelco Part Number	32D-FCH47N60F-F133		
ECAD Model	Request Free CAD Models		
Parts Description	MOSFET N-CH 600V 47A TO247-3	ON Semiconductor <sup>®</sup>	Get a Quote
Package	TO-247-3		
Data sheet	FCH47N60F_F133.pdf		
RoHs Status	ROHS3 Compliant		

FCH47N60F-F133 - onsemi.New Original in Stock. Download Linear Technology FCH47N60F-F133 datasheet/specifications on AllelcoElec.com.

Request a quote for FCH47N60F-F133, please send us email: info@allelco.com

# Specifications

### FCH47N60F-F133 Tech Specifications

FCH47N60F-F133 - onsemi technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	onsemi	Operating Temperature	-55°C ~ 150°C (TJ)
Vgs(th) (Max) @ Id	5V @ 250µA	Mounting Type	Through Hole
Vgs (Max)	±30V	Input Capacitance (Ciss) (Max) @ Vds	8000 pF @ 25 V
Technology	MOSFET (Metal Oxide)	Gate Charge (Qg) (Max) @ Vgs	270 nC @ 10 V
Supplier Device Package	TO-247-3	FET Type	N-Channel
Series	SuperFET™	FET Feature	-
Rds On (Max) @ Id, Vgs	70mOhm @ 23.5A, 10V	Drive Voltage (Max Rds On, Min Rds On)	10V
Power Dissipation (Max)	417W (Tc)	Drain to Source Voltage (Vdss)	600 V

Package / Case	TO-247-3	Current - Continuous Drain (Id) @ 25°C	47A (Tc)
Package	Tube	Base Product Number	FCH47N60

# **Parts with Similar Specifications**

The three parts on the right have similar specifications to onsemi FCH47N60F-F133

Product Attribute	NO PICTURE	Bit Businesdeciter ()		ON Semiconductor*
Part Number	FCH47N60F-F133	FCH76N60N	FCH47N60	FCH47N60-F133
Manufacturer	onsemi	Fairchild Semiconductor	Fairchild Semiconductor	onsemi
Drive Voltage (Max Rds On, Min Rds On)	10V	10V	10V	10V
FET Feature	-	-	-	-
Vgs (Max)	±30V	±30V	±30V	±30V
Supplier Device Package	TO-247-3	TO-247	TO-247	TO-247-3
Mounting Type	Through Hole	Through Hole	Through Hole	Through Hole
Vgs(th) (Max) @ Id	5V @ 250µA	4V @ 250µA	5V @ 250µA	5V @ 250µA
Base Product Number	FCH47N60	-	-	FCH47N60
Package	Tube	Bulk	Tube	Tube
FET Туре	N-Channel	N-Channel	N-Channel	N-Channel
Current - Continuous Drain (Id) @ 25°C	47A (Tc)	76A (Tc)	47A (Tc)	47A (Tc)
Rds On (Max) @ Id, Vgs	70mOhm @ 23.5A, 10V	36mOhm @ 38A, 10V	70mOhm @ 23.5A, 10V	70mOhm @ 23.5A, 10V
Power Dissipation (Max)	417W (Tc)	543W (Tc)	417W (Tc)	417W (Tc)
Operating Temperature	-55°C ~ 150°C (TJ)	-55°C ~ 150°C (TJ)	-55°C ~ 150°C (TJ)	-55°C ~ 150°C (TJ)
Gate Charge (Qg) (Max) @ Vgs	270 nC @ 10 V	285 nC @ 10 V	270 nC @ 10 V	270 nC @ 10 V
Drain to Source Voltage (Vdss)	600 V	600 V	600 V	600 V
Package / Case	TO-247-3	TO-247-3	TO-247-3	TO-247-3
Input Capacitance (Ciss) (Max) @ Vds	8000 pF @ 25 V	12385 pF @ 100 V	8000 pF @ 25 V	8000 F @ 25 V
Series	SuperFET™	SupreMOS™	SuperFET™	SuperFET® II
Technology	MOSFET (Metal Oxide)	MOSFET (Metal Oxide)	MOSFET (Metal Oxide)	MOSFET (Metal Oxide)

# FCH47N60F-F133 Datasheet PDF

Download FCH47N60F-F133 pdf datasheets and onsemi documentation for FCH47N60F-F133 - onsemi.


### Datasheets



## **Environmental Information**



## PCN Design/Specification















#### **FCH47N60N**

onsemi MOSFET N-CH 600V 47A TO247-3

### FCH47N60F\_F085

Fairchild (onsemi)

Fairchild Semiconductor POWER FIELD-EFFECT TRANSISTOR, 4

**FCH47N60N** 

FCH76N60N onsemi

MOSFET N-CH 600V 76A TO247-3

# FCH35N60

onsemi MOSFET N-CH 600V 35A TO247-3 Chilisin Electronics

FCH3216F-R47M

# **Shipment**

### **Delivery Time**

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

### **Delivery Cost**

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

### **Delivery Method**

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference			
Region	Country	Logistic Time(Day)	
America	United States	5	
America	Brazil	7	
	Germany	5	
Europe	United Kingdom	4	
	Italy	5	
Oceania	Australia	6	
Oceania	New Zealand	7	
Asia	India	6	
Азіа	Japan	7	
Middle East	Israel	6	

DHL & FedEx Shipment Charges Reference		
Shipment charges(KG)	Reference DHL(USD\$)	
0.00kg-1.00kg	USD\$60.00	
1.00kg-2.00kg	USD\$70.00	
2.00kg-3.00kg	USD\$80.00	

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

## Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



## Your Faithful Supply Chain Partner -

Efficient Supply Management **B** 

Procurement

Cost-Saving

Fast Sourcing & Delivery

f

### Contact us if you have any questions.

**o** Phone

Em

+00852 9146 4856

Email info@allelco.com

## Certifications & Memberships







View More



Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

### Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong Phone: +00852 9146 4856 Fax: +00852 3010 8510 Email: info@Allelco.com