



Image may be representation.
See specifications for product details.



STM32F303RDT6

Manufacturer Part Number	STM32F303RDT6
Manufacturer	STMicroelectronics
Allelco Part Number	32D-STM32F303RDT6
ECAD Model	PCB Symbol, Footprint & 3D Mode
Parts Description	IC MCU 32BIT 384KB FLASH 64LQFP
Package	64-LQFP
Data sheet	STM32F303xD, STM32F303xE Datasheet.pdf
RoHs Status	ROHS3 Compliant

[Get a Quote](#)

STM32F303RDT6 - STMicroelectronics.New Original in Stock. Download Linear Technology STM32F303RDT6 datasheet/specifications on AllelcoElec.com.
Request a quote for STM32F303RDT6, please send us email: info@allelco.com

Specifications

STM32F303RDT6 Tech Specifications

STM32F303RDT6 - STMicroelectronics technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	STMicroelectronics	Oscillator Type	Internal
Voltage - Supply (Vcc/Vdd)	2V ~ 3.6V	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package	64-LQFP (10x10)	Number of I/O	51
Speed	72MHz	Mounting Type	Surface Mount
Series	STM32F3	EEPROM Size	-
RAM Size	80K x 8	Data Converters	A/D 22x12b; D/A 2x12b
Program Memory Type	FLASH	Core Size	32-Bit Single-Core
Program Memory Size	384KB (384K x 8)	Core Processor	ARM® Cortex®-M4
Peripherals	DMA, I ² S, POR, PWM, WDT	Connectivity	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART, USB
Package / Case	64-LQFP	Base Product Number	STM32F303
Package	Tray		

Parts with Similar Specifications

The three parts on the right have similar specifications to STMicroelectronics STM32F303RDT6

Product Attribute				
Part Number	STM32F303RDT6	STM32F303VBT6	STM32F303RCT6TR	STM32F303VCT6
Manufacturer	STMicroelectronics	STMicroelectronics	STMicroelectronics	STMicroelectronics
Speed	72MHz	72MHz	72MHz	72MHz
Supplier Device Package	64-LQFP (10x10)	100-LQFP (14x14)	64-LQFP (10x10)	100-LQFP (14x14)
RAM Size	80K x 8	32K x 8	40K x 8	40K x 8
Data Converters	A/D 22x12b; D/A 2x12b	A/D 39x12b; D/A 2x12b	A/D 22x12b; D/A 2x12b	A/D 39x12b; D/A 2x12b
Peripherals	DMA, I ² S, POR, PWM, WDT	DMA, I ² S, POR, PWM, WDT	DMA, I ² S, POR, PWM, WDT	DMA, I ² S, POR, PWM, WDT
Program Memory Size	384KB (384K x 8)	128KB (128K x 8)	256KB (256K x 8)	256KB (256K x 8)
Package	Tray	Tray	Tape & Reel (TR)	Tray
Operating Temperature	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)
Program Memory Type	FLASH	FLASH	FLASH	FLASH
Package / Case	64-LQFP	100-LQFP	64-LQFP	100-LQFP
Base Product Number	STM32F303	STM32F303	STM32F303	STM32F303
Oscillator Type	Internal	Internal	Internal	Internal
Connectivity	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART, USB	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART, USB	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART, USB	CANbus, I ² C, IrDA, LINbus, SPI, UART/USART, USB
Number of I/O	51	87	52	87
EEPROM Size	-	-	-	-
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Core Processor	ARM® Cortex®-M4	ARM® Cortex®-M4	ARM® Cortex®-M4	ARM® Cortex®-M4
Voltage - Supply (Vcc/Vdd)	2V ~ 3.6V	2V ~ 3.6V	2V ~ 3.6V	2V ~ 3.6V
Core Size	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core
Series	STM32F3	STM32F3	STM32F3	STM32F3

STM32F303RDT6 Datasheet PDF

Download STM32F303RDT6 pdf datasheets and STMicroelectronics documentation for STM32F303RDT6 - STMicroelectronics.

PCN Packaging

2.73KHz.pdf

PCN Assembly/Origin

STM8/STM32 10/Mar/2020.pdf

PCN Design/Specification

 Cylindrical Battery Holders.pdf

HTML Datasheet

 STM32F303xD, STM32F303xE Datasheet.pdf

Customers Also Interested in

Recommended Products




STM32F303VCT6,32

STMicroelectronics



STM32F303VBT6

STMicroelectronics
IC MCU 32BIT 128KB FLASH
100LQFP



STM32F303RCT6TR

STMicroelectronics
IC MCU 32BIT 256KB FLASH 64LQFP



STM32F303VCT6

STMicroelectronics
IC MCU 32BIT 256KB FLASH
100LQFP



STM32F303K6T6

STMicroelectronics
IC MCU 32BIT 32KB FLASH 32LQFP



STM32F303VCT7TR

STMicroelectronics
IC MCU 32BIT 256KB FLASH
100LQFP




STM32F303RBT7

STMicroelectronics
IC MCU 32BIT 128KB FLASH 64LQFP



STM32F303RCT6

STMicroelectronics
IC MCU 32BIT 256KB FLASH 64LQFP




STM32F303K8T6

STMicroelectronics
IC MCU 32BIT 64KB FLASH 32LQFP



STM32F303R8T6

STMicroelectronics
IC MCU 32BIT 64KB FLASH 64LQFP



STM32F303RET6

STMicroelectronics
IC MCU 32BIT 512KB FLASH 64LQFP



STM32F303RCT7

STMicroelectronics
IC MCU 32BIT 256KB FLASH 64LQFP



STM32F303RET6TR

STMicroelectronics
IC MCU 32BIT 512KB FLASH 64LQFP



STM32F303VCT7

STMicroelectronics
IC MCU 32BIT 256KB FLASH
100LQFP



STM32F303VDT6

STMicroelectronics
IC MCU 32BIT 384KB FLASH
100LQFP




STM32F303VCT6TR

STMicroelectronics
IC MCU 32BIT 256KB FLASH
100LQFP



STM32F303RBT6

STMicroelectronics
IC MCU 32BIT 128KB FLASH 64LQFP



STM32F303RBT6TR

STMicroelectronics
IC MCU 32BIT 128KB FLASH 64LQFP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference

Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference

Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:

Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -



Efficient Supply Management



Cost-Saving Procurement



Fast Sourcing & Delivery

Contact us if you have any questions.



Phone

+00852 9146 4856



Email

info@allelco.com

Certifications & Memberships



View More

