



Image may be representation.  
See specifications for product details.



## PIC18F24K20T-I/SS

Manufacturer Part Number	<b>PIC18F24K20T-I/SS</b>
Manufacturer	<b>Microchip Technology</b>
Allelco Part Number	32D-PIC18F24K20T-I/SS
ECAD Model	Request Free CAD Models
Parts Description	IC MCU 8BIT 16KB FLASH 28SSOP
Package	28-SSOP (0.209", 5.30mm Width)
Data sheet	<b>PIC18F(2,4)xK20 Programming Spec.pdf</b> <b>PIC18FxxK20 Datasheet.pdf</b>
RoHs Status	<b>ROHS3 Compliant</b>

**Get a Quote**

PIC18F24K20T-I/SS - Microchip Technology. New Original in Stock. Download Linear Technology PIC18F24K20T-I/SS datasheet/specifications on AllelcoElec.com. Request a quote for PIC18F24K20T-I/SS, please send us email: [info@allelco.com](mailto:info@allelco.com)

### Specifications

PIC18F24K20T-I/SS Tech Specifications  
PIC18F24K20T-I/SS - Microchip Technology technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Microchip Technology	Oscillator Type	Internal
Voltage - Supply (Vcc/Vdd)	1.8V ~ 3.6V	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package	28-SSOP	Number of I/O	24
Speed	64MHz	Mounting Type	Surface Mount
Series	PIC® XLP™ 18K	EEPROM Size	256 x 8
RAM Size	768 x 8	Data Converters	A/D 11x10b
Program Memory Type	FLASH	Core Size	8-Bit
Program Memory Size	16KB (8K x 16)	Core Processor	PIC
Peripherals	Brown-out Detect/Reset, HLVD, POR, PWM, WDT	Connectivity	I²C, SPI, UART/USART
Package / Case	28-SSOP (0.209", 5.30mm Width)	Base Product Number	PIC18F24
Package	Tape & Reel (TR)		

### Parts with Similar Specifications

The three parts on the right have similar specifications to Microchip Technology PIC18F24K20T-I/SS

Product Attribute				
Part Number	PIC18F24K20T-I/SS	<b>PIC18F24K20-I/ML</b>	<b>PIC18F24K20-I/SP</b>	<b>PIC18F24K20T-I/SO</b>
Manufacturer	Microchip Technology	Microchip Technology	Microchip Technology	Microchip Technology
EEPROM Size	256 x 8	256 x 8	256 x 8	256 x 8
Package / Case	28-SSOP (0.209", 5.30mm Width)	28-VQFN Exposed Pad	28-DIP (0.300", 7.62mm)	28-SOIC (0.295", 7.50mm Width)
Voltage - Supply (Vcc/Vdd)	1.8V ~ 3.6V	1.8V ~ 3.6V	1.8V ~ 3.6V	1.8V ~ 3.6V
Number of I/O	24	24	24	24
Program Memory Size	16KB (8K x 16)	16KB (8K x 16)	16KB (8K x 16)	16KB (8K x 16)
Supplier Device Package	28-SSOP	28-QFN (6x6)	28-SPDIP	28-SOIC
Speed	64MHz	64MHz	64MHz	64MHz
Connectivity	I²C, SPI, UART/USART	I²C, SPI, UART/USART	I²C, SPI, UART/USART	I²C, SPI, UART/USART
Package	Tape & Reel (TR)	Tube	Tube	Tape & Reel (TR)
Core Processor	PIC	PIC	PIC	PIC
RAM Size	768 x 8	768 x 8	768 x 8	768 x 8
Base Product Number	PIC18F24	PIC18F24	PIC18F24	PIC18F24
Program Memory Type	FLASH	FLASH	FLASH	FLASH
Series	PIC® XLP™ 18K	PIC® XLP™ 18K	PIC® XLP™ 18K	PIC® XLP™ 18K
Operating Temperature	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)
Data Converters	A/D 11x10b	A/D 11x10b	A/D 11x10b	A/D 11x10b
Oscillator Type	Internal	Internal	Internal	Internal
Mounting Type	Surface Mount	Surface Mount	Through Hole	Surface Mount
Peripherals	Brown-out Detect/Reset, HLVD, POR, PWM, WDT	Brown-out Detect/Reset, HLVD, POR, PWM, WDT	Brown-out Detect/Reset, HLVD, POR, PWM, WDT	Brown-out Detect/Reset, HLVD, POR, PWM, WDT
Core Size	8-Bit	8-Bit	8-Bit	8-Bit

### PIC18F24K20T-I/SS Datasheet PDF

Download PIC18F24K20T-I/SS pdf datasheets and Microchip Technology documentation for PIC18F24K20T-I/SS - Microchip Technology.

#### PCN Packaging

Label and Packing Changes 23/Sep/2015.pdf

Reel Design Update 07/May/2015.pdf

#### HTML Datasheet

PIC18F(2,4)xK20 Programming Spec.pdf

PIC18FxxK20 Datasheet.pdf

## PCN Design/Specification



Datasheet/Errata Update 09/Apr/2014.pdf


## PCN Assembly/Origin



2.73KHz.pdf

## Customers Also Interested in

### Recommended Products



#### PIC18F24K20-I/ML

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28QFN



#### PIC18F24K20-I/SP

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28SPDIP



#### PIC18F24K20T-I/SO

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28SOIC



#### PIC18F24K20-E/SS

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28SSOP



#### PIC18F24K22-I/SO

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28SOIC



#### PIC18F24K20ES-I/SS

Micrel / Microchip Technology



#### PIC18F24K22-I/SS

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28SSOP




#### PIC18F24Q10-E/ML

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28QFN




#### PIC18F24Q10-I/SO

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28SOIC




#### PIC18F24K20T-I/ML

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28QFN




#### PIC18F24K22T-I/ML

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28QFN




#### PIC18F24K22-I/ML

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28QFN



#### PIC18F24K22-E/ML

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28QFN



#### PIC18F24K50-I/ML

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28QFN



#### PIC18F24K20-I/SO

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28SOIC




#### PIC18F24K20-I/SS

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28SSOP



#### PIC18F24K20T-E/SS

Micrel / Microchip Technology



#### PIC18F24K50T-I/ML

Microchip Technology  
IC MCU 8BIT 16KB FLASH 28QFN

## Shipment

### Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

### Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

### Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference

Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference

Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.

## Payment Support

The payment method can be chosen from the methods shown below:

Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



## Your Faithful Supply Chain Partner -



Efficient Supply Management



Cost-Saving Procurement



Fast Sourcing & Delivery

Contact us if you have any questions.



Phone

+00852 9146 4856



Email

info@allelco.com

## Certifications & Memberships



View More

