



Image may be representation.
See specifications for product details.



STM32F100ZCT6B

Manufacturer Part Number	STM32F100ZCT6B
Manufacturer	STMicroelectronics
Allelco Part Number	32D-STM32F100ZCT6B
ECAD Model	PCB Symbol, Footprint & 3D Mode
Parts Description	IC MCU 32BIT 256KB FLASH 144LQFP
Package	144-LQFP
Data sheet	STM32F100xC,D,E Datasheet.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

STM32F100ZCT6B - STMicroelectronics.New Original in Stock. Download Linear Technology STM32F100ZCT6B datasheet/specifications on AllelcoElec.com.
Request a quote for STM32F100ZCT6B, please send us email: info@allelco.com

Specifications

STM32F100ZCT6B Tech Specifications

STM32F100ZCT6B - STMicroelectronics technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	STMicroelectronics	Oscillator Type	Internal
Voltage - Supply (Vcc/Vdd)	2V ~ 3.6V	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package	144-LQFP (20x20)	Number of I/O	112
Speed	24MHz	Mounting Type	Surface Mount
Series	STM32F1	EEPROM Size	-
RAM Size	24K x 8	Data Converters	A/D 16x12b; D/A 2x12b
Program Memory Type	FLASH	Core Size	32-Bit Single-Core
Program Memory Size	256KB (256K x 8)	Core Processor	ARM® Cortex®-M3
Peripherals	DMA, PDR, POR, PVD, PWM, Temp Sensor, WDT	Connectivity	I²C, IrDA, LINbus, SPI, UART/USART
Package / Case	144-LQFP	Base Product Number	STM32F100
Package	Tray		

Parts with Similar Specifications


The three parts on the right have similar specifications to STMicroelectronics STM32F100ZCT6B

Product Attribute				
Part Number	STM32F100ZCT6B	STM32F100VCT6B	STM32F101C6T6A	STM32F100VET6B
Manufacturer	STMicroelectronics	STMicroelectronics	STMicroelectronics	STMicroelectronics
Voltage - Supply (Vcc/Vdd)	2V ~ 3.6V	2V ~ 3.6V	2V ~ 3.6V	2V ~ 3.6V
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Package / Case	144-LQFP	100-LQFP	48-LQFP	100-LQFP
Core Processor	ARM® Cortex®-M3	ARM® Cortex®-M3	ARM® Cortex®-M3	ARM® Cortex®-M3
Supplier Device Package	144-LQFP (20x20)	100-LQFP (14x14)	48-LQFP (7x7)	100-LQFP (14x14)
Base Product Number	STM32F100	STM32F100	STM32F101	STM32F100
Package	Tray	Tray	Tray	Tray
Speed	24MHz	24MHz	36MHz	24MHz
Data Converters	A/D 16x12b; D/A 2x12b	A/D 16x12b; D/A 2x12b	A/D 10x12b	A/D 16x12b; D/A 2x12b
Number of I/O	112	80	37	80
Connectivity	I²C, IrDA, LINbus, SPI, UART/USART	I²C, IrDA, LINbus, SPI, UART/USART	I²C, IrDA, LINbus, SPI, UART/USART	I²C, IrDA, LINbus, SPI, UART/USART
Operating Temperature	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)
Peripherals	DMA, PDR, POR, PVD, PWM, Temp Sensor, WDT	DMA, PDR, POR, PVD, PWM, Temp Sensor, WDT	DMA, PDR, POR, PVD, PWM, Temp Sensor, WDT	DMA, PDR, POR, PVD, PWM, Temp Sensor, WDT
Series	STM32F1	STM32F1	STM32F1	STM32F1
Program Memory Size	256KB (256K x 8)	256KB (256K x 8)	32KB (32K x 8)	512KB (512K x 8)
EEPROM Size	-	-	-	-
Oscillator Type	Internal	Internal	Internal	Internal
Core Size	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core
Program Memory Type	FLASH	FLASH	FLASH	FLASH
RAM Size	24K x 8	24K x 8	6K x 8	32K x 8


STM32F100ZCT6B Datasheet PDF

Download STM32F100ZCT6B pdf datasheets and STMicroelectronics documentation for STM32F100ZCT6B - STMicroelectronics.

HTML Datasheet



PCN Packaging



PCN Design/Specification



STM32F100 DataSheet/Errata Update
22/Apr/2016.pdf



















PCN Assembly/Origin



MMS-MIC/14/8390 07/May/2014.pdf

Customers Also Interested in

Recommended Products

 STM32F101B6 STMicroelectronics	 STM32F100VCT6B STMicroelectronics IC MCU 32BIT 256KB FLASH 100LQFP	 STM32F101C6T6A STMicroelectronics IC MCU 32BIT 32KB FLASH 48LQFP	 STM32F100VET6B STMicroelectronics IC MCU 32BIT 512KB FLASH 100LQFP	 STM32F100VDT6B STMicroelectronics IC MCU 32BIT 384KB FLASH 100LQFP	 STM32F100VDT6BTR STMicroelectronics IC MCU 32BIT 384KB FLASH 100LQFP
 STM32F100VCT6 STMicroelectronics IC MCU 32BIT 256KB FLASH 100LQFP	 STM32F101 STMicroelectronics	 STM32F101C6T6ATR STMicroelectronics IC MCU 32BIT 32KB FLASH 48LQFP	 STM32F101C8T6 STMicroelectronics IC MCU 32BIT 64KB FLASH 48LQFP	 STM32F100ZET6B STMicroelectronics IC MCU 32BIT 512KB FLASH 144LQFP	 STM32F100VET6 STMicroelectronics IC MCU 32BIT 512KB FLASH 100LQFP
 STM32F101C4T6A STMicroelectronics IC MCU 32BIT 16KB FLASH 48LQFP	 STM32F100VCT6BTR STMicroelectronics IC MCU 32BIT 256KB FLASH 100LQFP	 STM32F100ZET6BTR,32 STMicroelectronics	 STM32F100VCT6,32 STMicroelectronics	 STM32F101C6T6 STMicroelectronics IC MCU 32BIT 32KB FLASH 48LQFP	 STM32F100VDT6 STMicroelectronics IC MCU 32BIT 384KB FLASH 100LQFP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges.
(Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.
Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card,
PayPal.



Your Faithful Supply Chain Partner -

- Efficient Supply Management
- Cost-Saving Procurement
- Fast Sourcing & Delivery

Contact us if you have any questions.

- Phone
+00852 9146 4856
- Email
info@allelco.com

Certifications & Memberships



View More

