Get a Quote



NCP603SN300T1G

Manufacturer Part Number NCP603SN300T1G

Manufacturer **onsemi**

Package

RoHs Status

Allelco Part Number 32D-NCP603SN300T1G

ECAD Model

PCB Symbol, Footprint
& 3D Mode

Parts Description IC REG LINEAR 3V 300MA 5TSOP

SOT-23-5 Thin, TSOT-23-5

ROHS3 Compliant

Data sheet NCP603.pdf

NCP603.pdf

NCP603SN300T1G - onsemi.New Original in Stock. Download Linear Technology NCP603SN300T1G datasheet/specifications on AllelcoElec.com.

Request a quote for NCP603SN300T1G, please send us email: info@allelco.com

Specifications

NCP603SN300T1G Tech Specifications

 ${\tt NCP603SN300T1G-onsemi\ technical\ specifications,\ attributes,\ parameters}$

Image may be representation. See specifications for product details.

Product Attribute	Attribute Value	Product Attribute	Attribute Value	
Manufacturer	onsemi	PSRR	62dB ~ 38dB (120Hz ~ 10kHz)	
Voltage Dropout (Max)	0.23V @ 300mA	Output Type	Fixed	
Voltage - Output (Min/Fixed)	3V	Output Configuration	Positive	
Voltage - Output (Max)	-	Operating Temperature	-40°C ~ 125°C	
Voltage - Input (Max)	6V	Number of Regulators	1	
Supplier Device Package	5-TSOP	Mounting Type	Surface Mount	
Series	-	Current - Quiescent (Iq)	180 μΑ	
Protection Features	Over Current, Over Temperature, Transient Voltage	Current - Output	300mA	
Package / Case	SOT-23-5 Thin, TSOT-23-5	Control Features	Enable	
Package	Tape & Reel (TR)	Base Product Number	NCP603	

Parts with Similar Specifications

The three parts on the right have similar specifications to onsemi NCP603SN300T1G

The three parts on the right have similar specifications to onsemi NCP603SN300T1G					
Product Attribute					
Part Number	NCP603SN300T1G	NCP605MN28T2G	NCP603SNADJT1G	NCP603SN330T1G	
Manufacturer	onsemi	onsemi	onsemi	onsemi	
PSRR	62dB ~ 38dB (120Hz ~ 10kHz)	-	62dB ~ 38dB (120Hz ~ 10kHz)	62dB ~ 38dB (120Hz ~ 10kHz)	
Voltage - Output (Max)	-	-	5V	-	
Output Type	Fixed	Fixed	Adjustable	Fixed	
Voltage Dropout (Max)	0.23V @ 300mA	0.24V @ 500mA	0.48V @ 300mA	0.23V @ 300mA	
Series	-	-	-	-	
Current - Quiescent (Iq)	180 μΑ	180 μΑ	180 μΑ	180 μΑ	
Protection Features	Over Current, Over Temperature, Transient Voltage	Over Temperature, Short Circuit	Over Current, Over Temperature, Transient Voltage	Over Current, Over Temperature, Transient Voltage	
Voltage - Input (Max)	6V	6V	6V	6V	
Current - Output	300mA	500mA	300mA	300mA	
Number of Regulators	1	1	1	1	
Base Product Number	NCP603	NCP605	NCP603	NCP603	
Supplier Device Package	5-TSOP	6-DFN (3x3.3)	5-TSOP	5-TSOP	
Package	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)	
Package / Case	SOT-23-5 Thin, TSOT-23-5	6-VDFN Exposed Pad	SOT-23-5 Thin, TSOT-23-5	SOT-23-5 Thin, TSOT-23-5	
Operating Temperature	-40°C ~ 125°C	-40°C ~ 125°C	-40°C ~ 125°C	-40°C ~ 125°C	
Voltage - Output (Min/Fixed)	3V	2.8V	1.25V	3.3V	
Output Configuration	Positive	Positive	Positive	Positive	
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount	
Control Features	Enable	Enable	Enable	Enable	

NCP603SN300T1G Datasheet PDF

Download NCP603SN300T1G pdf datasheets and onsemi documentation for NCP603SN300T1G - onsemi.

Datasheets



Environmental Information





PCN Assembly/Origin



Wafer Fab 29/Sep/2022.pdf

HTML Datasheet



NCP603.pdf

Customers Also Interested in

Recommended Products



NCP605MN28T2G

onsemi

IC REG LINEAR 2.8V 500MA 6DFN





NCP603SNADJT1G onsemi IC REG LIN POS ADJ 300MA 5TSOP




NCP603SN330T1G onsemi IC REG LINEAR 3.3V 300MA 5TSOP



NCP603SN350T1G onsemi IC REG LINEAR 3.5V 300MA 5TSOP




NCP600SN330T1G onsemi IC REG LINEAR 3.3V 150MA 5TSOP



NCP605MN33T2G onsemi


IC REG LINEAR 3.3V 500MA 6DFN



NCP605MN18T2G onsemi IC REG LINEAR 1.8V 500MA 6DFN



NCP603SN180T1G onsemi IC REG LINEAR 1.8V 300MA 5TSOP



NCP605MN25T2G onsemi

IC REG LINEAR 2.5V 500MA 6DFN



NCP603SN250T1G onsemi





NCP603SN130T1G onsemi

IC REG LINEAR 1.3V 300MA 5TSOP



NCP600SN350T1G onsemi IC REG LINEAR 3.5V 150MA 5TSOP




NCP600SN500T1G onsemi IC REG LINEAR 5V 150MA 5TSOP



NCP600SNADJT1G onsemi

IC REG LIN POS ADJ 150MA 5TSOP



NCP606MN18T2G onsemi IC REG LINEAR 1.8V 500MA 6DFN



NCP603SN500T1G onsemi

IC REG LINEAR 5V 300MA 5TSOP



NCP605MN50T2G onsemi IC REG LINEAR 5V 500MA 6DFN



NCP600SN300T1G onsemi IC REG LINEAR 3V 150MA 5TSOP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges. (Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference					
Region	Country	Logistic Time(Day)			
America	United States	5			
America	Brazil	7			
	Germany	5			
Europe	United Kingdom	4			
	Italy	5			
Oceania	Australia	6			
Oceania	New Zealand	7			
Asia	India	6			
Asia	Japan	7			
Middle East	Israel	6			

DHL & FedEx Shipment Charges Reference Shipment charges(KG) Reference DHL(USD\$) USD\$60.00 0.00kg-1.00kg 1.00kg-2.00kg USD\$70.00 2.00kg-3.00kg USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.









Your Faithful Supply Chain Partner -



Management







Contact us if you have any questions.



+00852 9146 4856

Email

info@allelco.com

Certifications & Memberships













View More

Email: info@Allelco.com

