

Image may be representation.
See specifications for product details.



ADUM3201ARZ-RL7

Manufacturer Part Number	ADUM3201ARZ-RL7
Manufacturer	Analog Devices, Inc.
Allelco Part Number	32D-ADUM3201ARZ-RL7
ECAD Model	PCB Symbol, Footprint & 3D Model
Parts Description	DGTL ISO 2500VRMS 2CH GP 8SOIC
Package	8-SOIC (0.154", 3.90mm Width)
Data sheet	ADUM3200,01.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

ADUM3201ARZ-RL7 - Analog Devices Inc..New Original in Stock. Download Linear Technology ADUM3201ARZ-RL7 datasheet/specifications on AllelcoElec.com.
Request a quote for ADUM3201ARZ-RL7, please send us email: info@allelco.com

Specifications

ADUM3201ARZ-RL7 Tech Specifications
ADUM3201ARZ-RL7 - Analog Devices Inc. technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Analog Devices, Inc.	Package	Tape & Reel (TR)
Voltage - Supply	3V ~ 5.5V	Operating Temperature	-40°C ~ 105°C
Voltage - Isolation	2500Vrms	Number of Channels	2
Type	General Purpose	Mounting Type	Surface Mount
Technology	Magnetic Coupling	Isolated Power	No
Supplier Device Package	8-SOIC	Inputs - Side 1/Side 2	1/1
Series	iCoupler®	Data Rate	1Mbps
Rise / Fall Time (Typ)	10ns, 10ns	Common Mode Transient Immunity (Min)	25kV/µs
Pulse Width Distortion (Max)	40ns	Channel Type	Unidirectional
Propagation Delay tpLH / tpHL (Max)	150ns, 150ns	Base Product Number	ADUM3201
Package / Case	8-SOIC (0.154", 3.90mm Width)		

Parts with Similar Specifications

The three parts on the right have similar specifications to Analog Devices Inc. ADUM3201ARZ-RL7

Product Attribute				
Part Number	ADUM3201ARZ-RL7	ADUM3210ARZ-RL7	ADUM3201CRZ-RL7	ADUM3200ARZ-RL7
Manufacturer	Analog Devices Inc.	Analog Devices Inc.	Analog Devices Inc.	Analog Devices Inc.
Number of Channels	2	2	2	2
Operating Temperature	-40°C ~ 105°C	-40°C ~ 105°C	-40°C ~ 105°C	-40°C ~ 105°C
Channel Type	Unidirectional	Unidirectional	Unidirectional	Unidirectional
Package	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Common Mode Transient Immunity (Min)	25kV/µs	25kV/µs	25kV/µs	25kV/µs
Pulse Width Distortion (Max)	40ns	5ns	3ns	40ns
Voltage - Isolation	2500Vrms	2500Vrms	2500Vrms	2500Vrms
Base Product Number	ADUM3201	ADUM3210	ADUM3201	ADUM3200
Type	General Purpose	General Purpose	General Purpose	General Purpose
Voltage - Supply	3V ~ 5.5V	3V ~ 5.5V	3V ~ 5.5V	3V ~ 5.5V
Package / Case	8-SOIC (0.154", 3.90mm Width)	8-SOIC (0.154", 3.90mm Width)	8-SOIC (0.154", 3.90mm Width)	8-SOIC (0.154", 3.90mm Width)
Inputs - Side 1/Side 2	1/1	2/0	1/1	2/0
Technology	Magnetic Coupling	Magnetic Coupling	Magnetic Coupling	Magnetic Coupling
Isolated Power	No	No	No	No
Propagation Delay tpLH / tpHL (Max)	150ns, 150ns	50ns, 50ns	45ns, 45ns	150ns, 150ns
Series	iCoupler®	iCoupler®	iCoupler®	iCoupler®
Rise / Fall Time (Typ)	10ns, 10ns	2.5ns, 2.5ns	2.5ns, 2.5ns	10ns, 10ns
Data Rate	1Mbps	1Mbps	25Mbps	1Mbps
Supplier Device Package	8-SOIC	8-SOIC	8-SOIC	8-SOIC

ADUM3201ARZ-RL7 Datasheet PDF

Download ADUM3201ARZ-RL7 pdf datasheets and Analog Devices Inc. documentation for ADUM3201ARZ-RL7 - Analog Devices Inc..


Datasheets

[ADUM3200,01.pdf](#)


Other Related Documents

[Tape and Reel Packaging.pdf](#)

PCN Assembly/Origin



















 ADuM3200/3201 Die Rev 21/Sep/2018.pdf

PCN Design/Specification

 ADUM3201 Die/Datasheet Update 06/Oct/2014.pdf

Customers Also Interested in

Recommended Products

					
ADUM3210ARZ-RL7 Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3201CRZ-RL7 Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3200ARZ-RL7 Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3210ARZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3210BRZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3200BRZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC
					
ADUM3201BRZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3200WCRZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3210TRZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3190WTRQZ-RL7 Analog Devices Inc. IC ISOLATOR 16QSOP	ADUM3201BRZ-RL7 Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3210TRZ-RL7 Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC
					
ADUM3201ARZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3200WARZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3210BRZ-RL7 Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3200CRZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3200WARZ-RL7 Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC	ADUM3200ARZ Analog Devices Inc. DGTL ISO 2500VRMS 2CH GP 8SOIC

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
 - > Use our account for the shipment. Refer to the table below for the approximate charges.
- (Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00




Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

Payment Support



The payment method can be chosen from the methods shown below:
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -

 Efficient Supply Management	 Cost-Saving Procurement	 Fast Sourcing & Delivery
--	--	---

Contact us if you have any questions.

 Phone +00852 9146 4856	 Email info@allelco.com
--	--

Certifications & Memberships



[View More](#)

