



Image may be representation.
See specifications for product details.



WSLP39213L000FEA

Manufacturer Part Number	WSLP39213L000FEA
Manufacturer	Dale / Vishay
Allelco Part Number	32D-WSLP39213L000FEA
ECAD Model	3D Model
Parts Description	RES 0.003 OHM 1% 5W 3921
Package	Nonstandard
Data sheet	WSLP3921,5931 Series Datasheet.pdf WSx Series EB Package Code.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

WSP39213L000FEA - Vishay Dale. New Original in Stock. Download Linear Technology WSP39213L000FEA datasheet/specifications on AllelcoElec.com.
Request a quote for WSP39213L000FEA, please send us email: info@allelco.com

Specifications

WSP39213L000FEA Tech Specifications
WSP39213L000FEA - Vishay Dale technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Dale / Vishay	Package / Case	Nonstandard
Tolerance	±1%	Package	Tape & Reel (TR)
Temperature Coefficient	±75ppm/°C	Operating Temperature	-65°C ~ 170°C
Supplier Device Package	3921	Number of Terminations	2
Size / Dimension	0.394" L x 0.205" W (10.00mm x 5.20mm)	Height - Seated (Max)	0.020" (0.50mm)
Series	WSP3921	Features	Anti-Sulfur, Automotive AEC-Q200, Current Sense, Moisture Resistant, Pulse Withstanding
Resistance	3 mOhms	Failure Rate	-
Ratings	AEC-Q200	Composition	Metal Element
Power (Watts)	5W		

Parts with Similar Specifications

The three parts on the right have similar specifications to Vishay Dale WSP39213L000FEA

Product Attribute				
Part Number	WSP39213L000FEA	WSP2512R0100FEA	WSP5931L3000FEA	WSP2010R3900FEB18
Manufacturer	Vishay Dale	Vishay Dale	Vishay Dale	Vishay Dale
Ratings	AEC-Q200	AEC-Q200	AEC-Q200	-
Resistance	3 mOhms	10 mOhms	0.3 mOhms	390 mOhms
Composition	Metal Element	Metal Element	Metal Element	Metal Element
Height - Seated (Max)	0.020" (0.50mm)	0.035" (0.89mm)	0.020" (0.50mm)	0.035" (0.89mm)
Number of Terminations	2	2	2	2
Package / Case	Nonstandard	2512 (6432 Metric)	Nonstandard	2010 (5025 Metric)
Tolerance	±1%	±1%	±1%	±1%
Package	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)	Tape & Reel (TR)
Supplier Device Package	3921	2512	5931	2010
Size / Dimension	0.394" L x 0.205" W (10.00mm x 5.20mm)	0.250" L x 0.125" W (6.35mm x 3.18mm)	0.591" L x 0.305" W (15.00mm x 7.75mm)	0.200" L x 0.100" W (5.08mm x 2.54mm)
Failure Rate	-	-	-	-
Series	WSP3921	WSP	WSP5931	WSP-HP
Temperature Coefficient	±75ppm/°C	±75ppm/°C	±175ppm/°C	±75ppm/°C
Features	Anti-Sulfur, Automotive AEC-Q200, Current Sense, Moisture Resistant, Pulse Withstanding	Anti-Sulfur, Automotive AEC-Q200, Current Sense, Moisture Resistant, Pulse Withstanding	Anti-Sulfur, Automotive AEC-Q200, Current Sense, Moisture Resistant, Pulse Withstanding	Current Sense, Moisture Resistant, Pulse Withstanding
Operating Temperature	-65°C ~ 170°C	-65°C ~ 170°C	-65°C ~ 170°C	-65°C ~ 275°C
Power (Watts)	5W	3W	10W	1W

WSP39213L000FEA Datasheet PDF

Download WSP39213L000FEA pdf datasheets and Vishay Dale documentation for WSP39213L000FEA - Vishay Dale.

Datasheets

[WSx Series EB Package Code.pdf](#)

Part Numbering Guide

[Wirewound Resistors Part Numbering Manual.pdf](#)

PCN Design/Specification

[Mult Devs Product Improvement 12/Feb/2021.pdf](#)

HTML Datasheet



















PCN Assembly/Origin

Mult Devs Process Change 19/Dec/2022.pdf

WSL3921 & WSLP3921 19/Dec/2022.pdf

Customers Also Interested in

Recommended Products

 WSLP2512R0100FEA Vishay Dale RES 0.01 OHM 1% 3W 2512	 WSLP5931L3000FEA Vishay Dale RES SMD 300 UOHM 1% 10W 5931	 WSLT2010R3900FEB18 Vishay Dale RES 0.39 OHM 1% 1W 2010	 WSLP5931L2000FEA Vishay Dale RES SMD 200 UOHM 1% 10W 5931	 WSLP39212L000FEA Vishay Dale RES 0.002 OHM 1% 5W 3921	 WSLP39211L000FEB Vishay Dale RES 0.001 OHM 1% 9W 3921
 WSLP2726L3000FEA Vishay Dale RES SMD 300 UOHM 1% 7W 2726	 WSLP39211L000FEA Vishay Dale RES 0.001 OHM 1% 9W 3921	 WSLP3921L5000FEA Vishay Dale RES SMD 500 UOHM 1% 9W 3921	 WSLP2726L5000FEA Vishay Dale RES SMD 500 UOHM 1% 7W 2726	 WSLT2010R0200FEB18 Vishay Dale RES 0.02 OHM 1% 1W 2010	 WSLP25126L000DEA Vishay Dale RES 0.006 OHM 0.5% 3W 2512
 WSLP2512R0100FED Vishay Dale RES 0.01 OHM 1% 3W 2512	 WSLP2512L5000FEA Vishay Dale RES 500 UOHM 1% 3W 2512	 WSLP25126L000FEA Vishay Dale RES 0.006 OHM 1% 3W 2512	 WSLP27264L000FEA Vishay Dale RES 0.004 OHM 1% 5W 2726	 WSLP5931L5000FEA Vishay Dale RES SMD 500 UOHM 1% 10W 5931	 WSLP27261L000FEA Vishay Dale RES 0.001 OHM 1% 7W 2726

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

- > Use your express account for shipment if you have one.
 - > Use our account for the shipment. Refer to the table below for the approximate charges.
- (Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00




Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

Payment Support


The payment method can be chosen from the methods shown below:
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -

 Efficient Supply Management	 Cost-Saving Procurement	 Fast Sourcing & Delivery
--	--	---

Contact us if you have any questions.

 Phone +00852 9146 4856	 Email info@allelco.com
--	--

Certifications & Memberships



View More

Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong
Phone: +00852 9146 4856
Fax: +00852 3010 8510
Email: info@Allelco.com