


# STM32F071V8T6



## Specifications

STM32F071V8T6 Tech Specifications

STM32F071V8T6 - STMicroelectronics technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	STMicroelectronics	Oscillator Type	Internal
Voltage - Supply (Vcc/Vdd)	1.65V ~ 3.6V	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package	100-LQFP (14x14)	Number of I/O	87
Speed	48MHz	Mounting Type	Surface Mount
Series	STM32F0	EEPROM Size	-
RAM Size	16K x 8	Data Converters	A/D 19x12b; D/A 2x12b
Program Memory Type	FLASH	Core Size	32-Bit Single-Core
Program Memory Size	64KB (64K x 8)	Core Processor	ARM® Cortex®-M0
Peripherals	DMA, I <sup>2</sup> S, POR, PWM, WDT	Connectivity	HDMI-CEC, I <sup>2</sup> C, IrDA, LINbus, SPI, UART/USART
Package / Case	100-LQFP	Base Product Number	STM32F071
Package	Tray		

## Parts with Similar Specifications


The three parts on the right have similar specifications to STMicroelectronics STM32F071V8T6

Product Attribute			The second second	
Part Number	STM32F071V8T6	STM32F071V8T7TR	STM32F072C8T6	STM32F071VBT6
Manufacturer	STMicroelectronics	STMicroelectronics	STMicroelectronics	STMicroelectronics
Series	STM32F0	STM32F0	STM32F0	STM32F0
Operating Temperature	-40°C ~ 85°C (TA)	-40°C ~ 105°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)
Package / Case	100-LQFP	100-LQFP	48-LQFP	100-LQFP
Voltage - Supply (Vcc/Vdd)	1.65V ~ 3.6V	1.65V ~ 3.6V	1.65V ~ 3.6V	1.65V ~ 3.6V
Program Memory Size	64KB (64K x 8)	64KB (64K x 8)	64KB (64K x 8)	128KB (128K x 8)
RAM Size	16K x 8	16K x 8	16K x 8	16K x 8
Core Processor	ARM® Cortex®-M0	ARM® Cortex®-M0	ARM® Cortex®-M0	ARM® Cortex®-M0
Number of I/O	87	87	37	87
EEPROM Size	-	-	-	-
Speed	48MHz	48MHz	48MHz	48MHz
Connectivity	HDMI-CEC, I <sup>2</sup> C, IrDA, LINbus, SPI, UART/USART	HDMI-CEC, I <sup>2</sup> C, IrDA, LINbus, SPI, UART/USART	CANbus, HDMI-CEC, I <sup>2</sup> C, IrDA, LINbus, SPI, UART/USART, USB	HDMI-CEC, I <sup>2</sup> C, IrDA, LINbus, SPI, UART/USART
Base Product Number	STM32F071	STM32F071	STM32F072	STM32F071
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Oscillator Type	Internal	Internal	Internal	Internal
Data Converters	A/D 19x12b; D/A 2x12b	A/D 19x12b; D/A 2x12b	A/D 10x12b; D/A 2x12b	A/D 19x12b; D/A 2x12b
Core Size	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core
Package	Тгау	Tape & Reel (TR)	Tray	Tray
Program Memory Type	FLASH	FLASH	FLASH	FLASH
Peripherals	DMA, I <sup>2</sup> S, POR, PWM, WDT	DMA, I <sup>2</sup> S, POR, PWM, WDT	DMA, I <sup>2</sup> S, POR, PWM, WDT	DMA, I <sup>2</sup> S, POR, PWM, WDT
Supplier Device Package	100-LQFP (14x14)	100-LQFP (14x14)	48-LQFP (7x7)	100-LQFP (14x14)

## STM32F071V8T6 Datasheet PDF

Download STM32F071V8T6 pdf datasheets and STMicroelectronics documentation for STM32F071V8T6 - STMicroelectronics.

### Datasheets




## PCN Packaging



#### PCN Assembly/Origin



#### PCN Design/Specification



## **Customers Also Interested in**

#### **Recommended Products**




IC MCU 32BIT 128KB FLSH IC MCU 32BIT 64KB FLASH 100LQFP 48UFQFPN

IC MCU 32BIT 128KB FLASH 100LQFP

IC MCU 32BIT 128KB FLSH 48UFQFPN



















#### STM32F071CBY6TR,32

STMicroelectronics

#### STM32F071CBT7

STMicroelectronics IC MCU 32BIT 128KB FLASH 48LQFP

#### **STM32F071CBU7** STMicroelectronics

IC MCU 32BIT 128KB FLSH

48UFQFPN

STM32F071CBU7TR

STMicroelectronics

IC MCU 32BIT 128KB FLSH

48UFQFPN

#### STM32F071RBT6TR

STMicroelectronics IC MCU 32BIT 128KB FLASH 64LQFP

STMicroelectronics IC MCU 32BIT 128KB FLSH 100UFBGA

**STM32F071VBH6** 

## **Shipment**

#### **Delivery Time**

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

#### **Delivery Cost**

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

#### **Delivery Method**

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference				
Region	Country	Logistic Time(Day)		
America	United States	5		
America	Brazil	7		
	Germany	5		
Europe	United Kingdom	4		
	Italy	5		
Oceania	Australia	6		
Oceania	New Zealand	7		
Asia	India	6		
ASId	Japan	7		
Middle East	Israel	6		

DHL & FedEx Shipment Charges Reference				
Shipment charges(KG)	Reference DHL(USD\$)			
0.00kg-1.00kg	USD\$60.00			
1.00kg-2.00kg	USD\$70.00			
2.00kg-3.00kg	USD\$80.00			

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.

## Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



## Your Faithful Supply Chain Partner -



Management



Fast Sourcing & Delivery

4

#### Contact us if you have any questions.

Procurement


ි Phone +00852 9146 4856

Email info@allelco.com

# IPC Member



View More









Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong Phone: +00852 9146 4856 Fax: +00852 3010 8510 Email: info@Allelco.com

Copyright © 2012-2023 AllelcoElec.com. All rights reserved.