



STM32F767BIT6

Manufacturer Part Number	STM32F767BIT6
Manufacturer	STMicroelectronics
Allelco Part Number	32D-STM32F767BIT6
ECAD Model	PCB Symbol, Footprint & 3D Mode
Parts Description	IC MCU 32BIT 2MB FLASH 208LQFP
Package	208-LQFP
Data sheet	STM32F765xx,767xx, 768Ax, 769xx.pdf
RoHs Status	ROHS3 Compliant



Get a Quote

STM32F767BIT6 - STMicroelectronics.New Original in Stock. Download Linear Technology STM32F767BIT6 datasheet/specifications on AllelcoElec.com.
Request a quote for STM32F767BIT6, please send us email: info@allelco.com

Specifications

STM32F767BIT6 Tech Specifications
STM32F767BIT6 - STMicroelectronics technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	STMicroelectronics	Oscillator Type	Internal
Voltage - Supply (Vcc/Vdd)	1.7V ~ 3.6V	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package	208-LQFP (28x28)	Number of I/O	159
Speed	216MHz	Mounting Type	Surface Mount
Series	STM32F7	EEPROM Size	-
RAM Size	512K x 8	Data Converters	A/D 24x12b; D/A 2x12b
Program Memory Type	FLASH	Core Size	32-Bit Single-Core
Program Memory Size	2MB (2M x 8)	Core Processor	ARM® Cortex®-M7
Peripherals	Brown-out Detect/Reset, DMA, I ² S, LCD, POR, PWM, WDT	Connectivity	CANbus, EBI/EMI, Ethernet, I ² C, IrDA, LINbus, MMC/SD/SDIO, QSPI, SAI, SPDIF, SPI, UART/USART, USB OTG
Package / Case	208-LQFP	Base Product Number	STM32F767
Package	Tray		

Parts with Similar Specifications

The three parts on the right have similar specifications to STMicroelectronics STM32F767BIT6

Product Attribute				
Part Number	STM32F767BIT6	STM32F765ZGT6	STM32F767VGT6	STM32F767IIT6
Manufacturer	STMicroelectronics	STMicroelectronics	STMicroelectronics	STMicroelectronics
Program Memory Size	2MB (2M x 8)	1MB (1M x 8)	1MB (1M x 8)	2MB (2M x 8)
Supplier Device Package	208-LQFP (28x28)	144-LQFP (20x20)	100-LQFP (14x14)	176-LQFP (24x24)
Base Product Number	STM32F767	STM32F765	STM32F767	STM32F767
Speed	216MHz	216MHz	216MHz	216MHz
Series	STM32F7	STM32F7	STM32F7	STM32F7
Oscillator Type	Internal	Internal	Internal	Internal
Data Converters	A/D 24x12b; D/A 2x12b	A/D 24x12b; D/A 2x12b	A/D 16x12b; D/A 2x12b	A/D 24x12b; D/A 2x12b
Package	Tray	Tray	Tray	Tray
Program Memory Type	FLASH	FLASH	FLASH	FLASH
EEPROM Size	-	-	-	-
Number of I/O	159	114	82	140
Core Processor	ARM® Cortex®-M7	ARM® Cortex®-M7	ARM® Cortex®-M7	ARM® Cortex®-M7
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Operating Temperature	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)
RAM Size	512K x 8	512K x 8	512K x 8	512K x 8
Connectivity	CANbus, EBI/EMI, Ethernet, I ² C, IrDA, LINbus, MMC/SD/SDIO, QSPI, SAI, SPDIF, SPI, UART/USART, USB OTG	CANbus, EBI/EMI, Ethernet, I ² C, IrDA, LINbus, MMC/SD/SDIO, QSPI, SAI, SPDIF, SPI, UART/USART, USB OTG	CANbus, EBI/EMI, Ethernet, I ² C, IrDA, LINbus, MMC/SD/SDIO, QSPI, SAI, SPDIF, SPI, UART/USART, USB OTG	CANbus, EBI/EMI, Ethernet, I ² C, IrDA, LINbus, MMC/SD/SDIO, QSPI, SAI, SPDIF, SPI, UART/USART, USB OTG
Package / Case	208-LQFP	144-LQFP	100-LQFP	176-LQFP
Voltage - Supply (Vcc/Vdd)	1.7V ~ 3.6V	1.7V ~ 3.6V	1.7V ~ 3.6V	1.7V ~ 3.6V
Peripherals	Brown-out Detect/Reset, DMA, I ² S, LCD, POR, PWM, WDT	Brown-out Detect/Reset, DMA, I ² S, POR, PWM, WDT	Brown-out Detect/Reset, DMA, I ² S, LCD, POR, PWM, WDT	Brown-out Detect/Reset, DMA, I ² S, LCD, POR, PWM, WDT
Core Size	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core	32-Bit Single-Core

STM32F767BIT6 Datasheet PDF

Download STM32F767BIT6 pdf datasheets and STMicroelectronics documentation for STM32F767BIT6 - STMicroelectronics.

PCN Packaging

2.73KHz.pdf

PCN Assembly/Origin

STM32F4/STM32F7 10/Feb/2019.pdf

HTML Datasheet

STM32F765xx,767xx, 768Ax, 769xx.pdf

PCN Design/Specification

STM32F7x 03/Apr/2017.pdf

STM32F7x 17/Nov/2016.pdf

Customers Also Interested in

Recommended Products



STM32F765ZGT6

STMicroelectronics
IC MCU 32BIT 1MB FLASH 144LQFP



STM32F767VGT6

STMicroelectronics
IC MCU 32BIT 1MB FLASH 100LQFP



STM32F767IIT6

STMicroelectronics
IC MCU 32BIT 2MB FLASH 176LQFP




STM32F767ZGT6

STMicroelectronics
IC MCU 32BIT 1MB FLASH 144LQFP




STM32F765ZGT7

STMicroelectronics
IC MCU 32BIT 1MB FLASH 144LQFP




STM32F767IIK6

STMicroelectronics
IC MCU 32BIT 2MB FLASH 176UFBGA



STM32F767NGH6

STMicroelectronics
IC MCU 32BIT 1MB FLASH 216TFBGA



STM32F765NIH6TR

STMicroelectronics
IC MCU 32BIT 2MB FLASH 216TFBGA



STM32F767IGT6

STMicroelectronics
IC MCU 32BIT 1MB FLASH 176LQFP



STM32F765ZIT6

STMicroelectronics
IC MCU 32BIT 2MB FLASH 144LQFP



STM32F767VIT6

STMicroelectronics
IC MCU 32BIT 2MB FLASH 100LQFP



STM32F767BGT6

STMicroelectronics
IC MCU 32BIT 1MB FLASH 208LQFP




STM32F765VIT6

STMicroelectronics
IC MCU 32BIT 2MB FLASH 100LQFP




STM32F767ZIT6

STMicroelectronics
IC MCU 32BIT 2MB FLASH 144LQFP




STM32F765VIH6

STMicroelectronics
IC MCU 32BIT 2MB FLASH 100TFBGA




STM32F767IGK6

STMicroelectronics
IC MCU 32BIT 1MB FLASH 176UFBGA



STM32F767NIH6

STMicroelectronics
IC MCU 32BIT 2MB FLASH 216TFBGA



STM32F765VGT6

STMicroelectronics
IC MCU 32BIT 1MB FLASH 100LQFP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference

Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference

Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:

Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -



Efficient Supply Management



Cost-Saving Procurement



Fast Sourcing & Delivery

Contact us if you have any questions.



Phone

+00852 9146 4856



Email

info@allelco.com

Certifications & Memberships



View More

