


# DS18S20Z+



## Specifications

#### DS18S20Z+ Tech Specifications

DS18S20Z+ - Analog Devices Inc./Maxim Integrated technical specifications, attributes, parameters

| Product Attribute            | Attribute Value              | Product Attribute           | Attribute Value                                 |
|------------------------------|------------------------------|-----------------------------|---|
| Manufacturer                 | Maxim Integrated             | Package / Case              | 8-SOIC (0.154', 3.90mm Width)                   |
| Voltage - Supply             | 3V ~ 5.5V                    | Package                     | Tube  |
| Test Condition               | -10°C ~ 85°C (-55°C ~ 125°C) | Output Type                 | 1-Wire®   |
| Supplier Device Package      | 8-SOIC                       | Operating Temperature       | -55°C ~ 125°C                                   |
| Series                       | -                            | Mounting Type               | Surface Mount                                   |
| Sensor Type                  | Digital, Local               | Features                    | Output Switch, Programmable Limit, Standby Mode |
| Sensing Temperature - Remote | -                            | Base Product Number         | DS18S20   |
| Sensing Temperature - Local  | -55°C ~ 125°C                | Accuracy - Highest (Lowest) | ±0.5°C (±2°C)                                   |

Resolution

9 b


### **Parts with Similar Specifications**

The three parts on the right have similar specifications to Analog Devices Inc./Maxim Integrated DS18S20Z+

| Product Attribute            |  |  |  |   |
|------------------------------|--|--|--|---|
| Part Number                  | DS18S20Z+  | DS18S20Z+T&R                                       | DS18S20Z   | DS18S20-SL+T&R                            |
| Manufacturer                 | Analog Devices Inc./Maxim Integrated               | Analog Devices Inc./Maxim Integrated               | Analog Devices Inc./Maxim Integrated               | Analog Devices Inc./Maxim Integrated      |
| Output Type                  | 1-Wire®  | 1-Wire®  | 1-Wire®  | 1-Wire®                                   |
| Mounting Type                | Surface Mount                                      | Surface Mount                                      | Surface Mount                                      | Through Hole                              |
| Sensor Type                  | Digital, Local                                     | Digital, Local                                     | Digital, Local                                     | Digital, Local                            |
| Resolution                   | 9 b  | 9 b  | 9 b  | 9 b                                       |
| Base Product Number          | DS18S20  | DS18S20  | DS18S  | DS18S20                                   |
| Voltage - Supply             | 3V ~ 5.5V  | 3V ~ 5.5V  | 3V ~ 5.5V  | 3V ~ 5.5V                                 |
| Package / Case               | 8-SOIC (0.154', 3.90mm Width)                      | 8-SOIC (0.154', 3.90mm Width)                      | 8-SOIC (0.154', 3.90mm Width)                      | TO-226-3, TO-92-3 (TO-226AA) Formed Leads |
| Sensing Temperature - Local  | -55°C ~ 125°C                                      | -55°C ~ 125°C                                      | -55°C ~ 125°C                                      | -55°C ~ 125°C                             |
| Sensing Temperature - Remote | -  | -  | -  | -   |
| Accuracy - Highest (Lowest)  | ±0.5°C (±2°C)                                      | ±0.5°C (±2°C)                                      | ±0.5°C (±2°C)                                      | ±0.5°C (±2°C)                             |
| Series                       | -  | -  | -  | -   |
| Test Condition               | -10°C ~ 85°C (-55°C ~ 125°C)                       | -10°C ~ 85°C (-55°C ~ 125°C)                       | -10°C ~ 85°C (-55°C ~ 125°C)                       | -10°C ~ 85°C (-55°C ~ 125°C)              |
| Supplier Device Package      | 8-SOIC   | 8-SOIC   | 8-SOIC   | TO-92-3                                   |
| Features                     | Output Switch, Programmable Limit, Standby<br>Mode | Output Switch, Programmable Limit, Standby<br>Mode | Output Switch, Programmable Limit, Standby<br>Mode | Programmable Limit, Standby Mode          |
| Operating Temperature        | -55°C ~ 125°C                                      | -55°C ~ 125°C                                      | -55°C ~ 125°C                                      | -55°C ~ 125°C                             |
| Package                      | Tube   | Tape & Reel (TR)                                   | Tube   | Tape & Box (TB)                           |


### **DS18S20Z+** Datasheet PDF

Download DS18S20Z+ pdf datasheets and Analog Devices Inc./Maxim Integrated documentation for DS18S20Z+ - Analog Devices Inc./Maxim Integrated.



### Customers Also Interested in

**Recommended Products** 



### **Shipment**

#### **Delivery Time**

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

#### **Delivery Cost**

- > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

#### **Delivery Method**

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

**Common Countries Logistic Time Reference** 

| Region      | Country        | Logistic Time(Day) |
|-------------|----------------|--------------------|
| America     | United States  | 5                  |
|             | Brazil         | 7                  |
| Europe      | Germany        | 5                  |
|             | United Kingdom | 4                  |
|             | Italy          | 5                  |
| Oceania     | Australia      | 6                  |
| Oceania     | New Zealand    | 7                  |
| Asia        | India          | 6                  |
| ποια        | Japan          | 7                  |
| Middle East | Israel         | 6                  |

| Shipment charges(KG) | Reference DHL(USD\$) |
|----------------------|----------------------|
| 0.00kg-1.00kg        | USD\$60.00           |
| 1.00kg-2.00kg        | USD\$70.00           |
| 2.00kg-3.00kg        | USD\$80.00           |

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

### Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



#### Your Faithful Supply Chain Partner -訬 0 Efficient Supply Cost-Saving Fast Sourcing & Management Procurement Delivery

#### Contact us if you have any questions.





Email info@allelco.com

### Certifications & Memberships



View More



Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

### Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong **Phone:** +00852 9146 4856 **Fax:** +00852 3010 8510 Email: info@Allelco.com