

Image may be representation.
See specifications for product details.



MAX707CPA+

Manufacturer Part Number	MAX707CPA+
Manufacturer	Maxim Integrated
Allelco Part Number	32D-MAX707CPA+
ECAD Model	Request Free CAD Models
Parts Description	IC SUPERVISOR 1 CHANNEL 8DIP
Package	8-DIP (0.300", 7.62mm)
Data sheet	MAX705-708,813L.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

MAX707CPA+ - Analog Devices Inc./Maxim Integrated.New Original in Stock. Download Linear Technology MAX707CPA+ datasheet/specifications on AllelcoElec.com. Request a quote for MAX707CPA+, please send us email: info@allelco.com

Specifications

MAX707CPA+ Tech Specifications
MAX707CPA+ - Analog Devices Inc./Maxim Integrated technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Maxim Integrated	Package / Case	8-DIP (0.300", 7.62mm)
Voltage - Threshold	4.65V	Package	Tube
Type	Simple Reset/Power-On Reset	Output	Push-Pull, Push-Pull
Supplier Device Package	8-PDIP	Operating Temperature	0°C ~ 70°C (TA)
Series	-	Number of Voltages Monitored	1
Reset Timeout	140ms Minimum	Mounting Type	Through Hole
Reset	Active High/Active Low	Base Product Number	MAX707

Parts with Similar Specifications

The three parts on the right have similar specifications to Analog Devices Inc./Maxim Integrated MAX707CPA+

Product Attribute				
Part Number	MAX707CPA+	MAX707EPA	MAX706TEPA+	MAX707CSA
Manufacturer	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated
Reset Timeout	140ms Minimum	140ms Minimum	140ms Minimum	140ms Minimum
Reset	Active High/Active Low	Active High/Active Low	Active Low	Active High/Active Low
Package / Case	8-DIP (0.300", 7.62mm)	8-DIP (0.300", 7.62mm)	8-DIP (0.300", 7.62mm)	8-SOIC (0.154", 3.90mm Width)
Series	-	-	-	-
Package	Tube	Bulk	Tube	Tube
Output	Push-Pull, Push-Pull	Push-Pull, Push-Pull	Push-Pull, Totem Pole	Push-Pull, Push-Pull
Type	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset
Voltage - Threshold	4.65V	4.65V	3.08V	4.65V
Base Product Number	MAX707	MAX707	MAX706	MAX707
Mounting Type	Through Hole	Through Hole	Through Hole	Surface Mount
Operating Temperature	0°C ~ 70°C (TA)	-40°C ~ 85°C (TA)	-40°C ~ 85°C (TA)	0°C ~ 70°C (TA)
Number of Voltages Monitored	1	1	1	1
Supplier Device Package	8-PDIP	8-PDIP	8-PDIP	8-SOIC

MAX707CPA+ Datasheet PDF

Download MAX707CPA+ pdf datasheets and Analog Devices Inc./Maxim Integrated documentation for MAX707CPA+ - Analog Devices Inc./Maxim Integrated.

Datasheets

[MAX705-708,813L.pdf](#)

Environmental Information

[Maxim Integrated REACH.pdf](#)

[Maxim Integrated RoHS Cert.pdf](#)

Part Numbering Guide

[Part Numbering System.pdf](#)

Customers Also Interested in

Recommended Products



MAX707EPA
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR MPU



MAX706TEPA+
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8DIP



MAX707
XINBOLE



MAX707CSA
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC



MAX707CSA+
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC



MAX706TESA
Analog Devices Inc./Maxim Integrated
IC SUPERVISOR MPU



MAX706TEUA+T

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8UMAX



MAX706TMJA

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8CERDIP



MAX707EPA+

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8DIP



MAX707ESA+

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC



MAX707ESA

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR MPU



MAX707CPA

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8DIP



MAX707ESA+T

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC



MAX706TEUA+

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8UMAX



MAX707CUA

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8UMAX



MAX707CSA+T

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC



MAX706TESA+

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC



MAX706TESA+T

Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.


Payment Support

The payment method can be chosen from the methods shown below:

Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -



Contact us if you have any questions.



Certifications & Memberships



View More



Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong

Phone: +00852 9146 4856

Fax: +00852 3010 8510

Email: info@Allelco.com

Copyright © 2012-2023 AllelcoElec.com. All rights reserved.