Get a Quote





Image may be representation.
See specifications for product details.

ON Semiconductor®

NCP551SN30T1G

Manufacturer Part Number NCP551SN30T1G

Manufacturer **onsemi**

ECAD Model

Data sheet

RoHs Status

Allelco Part Number 32D-NCP551SN30T1G

PCB Symbol, Footprint & 3D Mode

Parts Description IC REG LINEAR 3V 150MA 5TSOP

Package SOT-23-5 Thin, TSOT-23-5

Cylindrical Battery Holders.pdf

NCP, NCV551.pdf

ROHS3 Compliant

NCP551SN30T1G - onsemi.New Original in Stock. Download Linear Technology NCP551SN30T1G datasheet/specifications on AllelcoElec.com. Request a quote for NCP551SN30T1G, please send us email: info@allelco.com

Specifications

NCP551SN30T1G Tech Specifications

NCP551SN30T1G - onsemi technical specifications, attributes, parameters

·			
Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	onsemi	Output Type	Fixed
Voltage Dropout (Max)	0.15V @ 10mA	Output Configuration	Positive
Voltage - Output (Min/Fixed)	3V	Operating Temperature	-40°C ~ 85°C
Voltage - Output (Max)	-	Number of Regulators	1
Voltage - Input (Max)	12V	Mounting Type	Surface Mount
Supplier Device Package	5-TSOP	Current - Supply (Max)	8 μΑ
Series	-	Current - Quiescent (Iq)	8 μΑ
Protection Features	Over Current, Over Temperature	Current - Output	150mA
Package / Case	SOT-23-5 Thin, TSOT-23-5	Control Features	Enable
Package	Tape & Reel (TR)	Base Product Number	NCP551
PSRR	-		

Parts with Similar Specifications

The three parts on the right have similar specifications to onsemi NCP551SN30T1G

ор				
Product Attribute				
Part Number	NCP551SN30T1G	NCP551SN32T1G	NCP551SN28T1G	NCP551SN33T1
Manufacturer	onsemi	onsemi	onsemi	onsemi
Voltage - Output (Min/Fixed)	3V	3.2V	2.8V	3.3V
Protection Features	Over Current, Over Temperature			
Package / Case	SOT-23-5 Thin, TSOT-23-5	SOT-23-5 Thin, TSOT-23-5	SOT-23-5 Thin, TSOT-23-5	SOT-23-5 Thin, TSOT-23-5
Voltage Dropout (Max)	0.15V @ 10mA	0.15V @ 10mA	0.15V @ 10mA	0.15V @ 10mA
Base Product Number	NCP551	NCP551	NCP551	NCP551
Control Features	Enable	Enable	Enable	Enable
Number of Regulators	1	1	1	1
Voltage - Output (Max)	-	-	-	-
Operating Temperature	-40°C ~ 85°C	-40°C ∼ 85°C	-40°C ∼ 85°C	-40°C ∼ 85°C
Voltage - Input (Max)	12V	12V	12V	12V
Mounting Type	Surface Mount	Surface Mount	Surface Mount	Surface Mount
Package	Tape & Reel (TR)			
Supplier Device Package	5-TSOP	5-TSOP	5-TSOP	5-TSOP
Output Configuration	Positive	Positive	Positive	Positive
Current - Quiescent (Iq)	8 µА	8 μΑ	Αμ 8	8 μΑ
PSRR	-	-	-	-
Current - Supply (Max)	8 μΑ	8 μΑ	8 μΑ	8 µА
Current - Output	150mA	150mA	150mA	150mA
Series	-	-	-	-
Output Type	Fixed	Fixed	Fixed	Fixed

NCP551SN30T1G Datasheet PDF


Download NCP551SN30T1G pdf datasheets and onsemi documentation for NCP551SN30T1G - onsemi.

Datasheets



Cylindrical Battery Holders.pdf

Environmental Information









PCN Packaging



2.73KHz.pdf

PCN Assembly/Origin



Wafer Fab 29/Sep/2022.pdf

HTML Datasheet



NCP, NCV551.pdf

PCN Design/Specification



Cylindrical Battery Holders.pdf

Customers Also Interested in

Recommended Products







NCP551SN28T1G onsemi IC REG LINEAR 2.8V 150MA 5TSOP



NCP551SN33T1 onsemi IC REG LINEAR 3.3V 150MA 5TSOP



NCP551SN25T1G onsemi IC REG LINEAR 2.5V 150MA 5TSOP



NCP551SN27T1G onsemi IC REG LINEAR 2.7V 150MA 5TSOP



NCP551SN33T1G onsemi

IC REG LINEAR 3.3V 150MA 5TSOP



onsemi

IC REG LINEAR 3.2V 150MA 5TSOP

NCP553SQ18T1 onsemi

IC REG LINEAR 1.8V 80MA SC82AB



NCP553SQ15T1 onsemi IC REG LINEAR 1.5V 80MA SC82AB



NCP551SN25T1 onsemi

IC REG LINEAR 2.5V 150MA 5TSOP



NCP553SQ15T1G onsemi

IC REG LINEAR 1.5V 80MA SC82AB



NCP552SQ33T1 onsemi IC REG LINEAR 3.3V 80MA SC82AB



NCP553SQ25T1G onsemi IC REG LINEAR 2.5V 80MA SC82AB



NCP551SN15T1G onsemi

IC REG LINEAR 1.5V 150MA 5TSOP



NCP551SN15T1 onsemi IC REG LINEAR 1.5V 150MA 5TSOP



NCP553SQ18T1G onsemi IC REG LINEAR 1.8V 80MA SC82AB



NCP5504DTRKG onsemi

IC REG LINEAR POS ADJ DPAK-5





NCP551SN18T1G onsemi IC REG LINEAR 1.8V 150MA 5TSOP



NCP551SN50T1G onsemi IC REG LINEAR 5V 150MA 5TSOP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

- **Delivery Cost** > Use your express account for shipment if you have one.
- > Use our account for the shipment. Refer to the table below for the approximate charges. (Different time frame / countries / package size has different price.)

Delivery Method

- > Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.
- > Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference				
Region	Country	Logistic Time(Day)		
America	United States	5		
America	Brazil	7		
	Germany	5		
Europe	United Kingdom	4		
	Italy	5		
Oceania	Australia	6		
Oceania	New Zealand	7		
Asia	India	6		
Asia	Japan	7		
Middle East	Israel	6		

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors. Contact us if you have any questions.

DHL & FedEx Shipment Charges Reference Reference DHL(USD\$) **Shipment charges(KG)** 0.00kg-1.00kg USD\$60.00 1.00kg-2.00kg USD\$70.00 USD\$80.00 2.00kg-3.00kg

Payment Support

The payment method can be chosen from the methods shown below: Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.









Your Faithful Supply Chain Partner -



Management









Contact us if you have any questions.





Certifications & Memberships













View More



Copyright © 2012-2023 AllelcoElec.com. All rights reserved.

Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong

Phone: +00852 9146 4856

Fax: +00852 3010 8510

Email: info@Allelco.com