

Image may be representation.
See specifications for product details.



MAX813LCPA+

Manufacturer Part Number	MAX813LCPA+
Manufacturer	Maxim Integrated
Allelco Part Number	32D-MAX813LCPA+
ECAD Model	Request Free CAD Models
Parts Description	IC SUPERVISOR 1 CHANNEL 8DIP
Package	8-DIP (0.300", 7.62mm)
Data sheet	MAX705-708,813L.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

MAX813LCPA+ - Analog Devices Inc./Maxim Integrated. New Original in Stock. Download Linear Technology MAX813LCPA+ datasheet/specifications on AllelcoElec.com. Request a quote for MAX813LCPA+, please send us email: info@allelco.com

Specifications

MAX813LCPA+ Tech Specifications
MAX813LCPA+ - Analog Devices Inc./Maxim Integrated technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Maxim Integrated	Package / Case	8-DIP (0.300", 7.62mm)
Voltage - Threshold	4.65V	Package	Tube
Type	Simple Reset/Power-On Reset	Output	Push-Pull, Totem Pole
Supplier Device Package	8-PDIP	Operating Temperature	0°C ~ 70°C (TA)
Series	-	Number of Voltages Monitored	1
Reset Timeout	140ms Minimum	Mounting Type	Through Hole
Reset	Active High	Base Product Number	MAX813

Parts with Similar Specifications

The three parts on the right have similar specifications to Analog Devices Inc./Maxim Integrated MAX813LCPA+

Product Attribute				
Part Number	MAX813LCPA+	MAX812TEUS	MAX813LCPA	MAX813LEPA+
Manufacturer	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated
Base Product Number	MAX813	MAX812	MAX813	MAX813
Package	Tube	Bulk	Tube	Tube
Reset	Active High	Active High	Active High	Active High
Supplier Device Package	8-PDIP	SOT-143-4	8-PDIP	8-PDIP
Voltage - Threshold	4.65V	3.08V	4.65V	4.65V
Type	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset	Simple Reset/Power-On Reset
Operating Temperature	0°C ~ 70°C (TA)	-40°C ~ 85°C (TA)	0°C ~ 70°C (TA)	-40°C ~ 85°C (TA)
Package / Case	8-DIP (0.300", 7.62mm)	TO-253-4, TO-253AA	8-DIP (0.300", 7.62mm)	8-DIP (0.300", 7.62mm)
Mounting Type	Through Hole	Surface Mount	Through Hole	Through Hole
Series	-	-	-	-
Number of Voltages Monitored	1	1	1	1
Output	Push-Pull, Totem Pole	Push-Pull, Totem Pole	Push-Pull, Totem Pole	Push-Pull, Totem Pole
Reset Timeout	140ms Minimum	140ms Minimum	140ms Minimum	140ms Minimum

MAX813LCPA+ Datasheet PDF

Download MAX813LCPA+ pdf datasheets and Analog Devices Inc./Maxim Integrated documentation for MAX813LCPA+ - Analog Devices Inc./Maxim Integrated.

Datasheets

[MAX705-708,813L.pdf](#)

Environmental Information

[Maxim Integrated REACH.pdf](#)

[Maxim Integrated RoHS Cert.pdf](#)

Part Numbering Guide

[Part Numbering System.pdf](#)

Customers Also Interested in


Recommended Products

MAX813CSA Analog Devices / Maxim Integrated	MAX812TEUS Analog Devices Inc./Maxim Integrated IC SUPERVISOR UPROCESSR VOLT	MAX813 XINBOLE	MAX813LCPA Analog Devices Inc./Maxim Integrated IC SUPERVISOR 1 CHANNEL 8DIP	MAX813LEPA+ Analog Devices Inc./Maxim Integrated IC SUPERVISOR 1 CHANNEL 8DIP	MAX813LCSA+ Analog Devices Inc./Maxim Integrated IC SUPERVISOR 1 CHANNEL 8SOIC

MON

**MAX813LCSA+T**Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC**MAX812SEUS+T**Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL SOT143-4**MAX813LCSA-T**

Analog Devices / Maxim Integrated

**MAX812SEUS-T**onsemi
IC SUPERVISOR UPROCESSR VOLT MON**MAX812SEUS-T**Analog Devices Inc./Maxim Integrated
MAX812 4-PIN MICRO PROCESSOR VOL**MAX813CPA**

Analog Devices / Maxim Integrated

**MAX813LESA**Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC**MAX812TEUS-T**Analog Devices Inc./Maxim Integrated
IC SUPERVISOR UPROCESSR VOLT MON**MAX813LESA+**Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC**MAX812TEUS+T**Analog Devices Inc./Maxim Integrated
IC VOLT MON W/RESET SOT143-4**MAX813LCSA**Analog Devices Inc./Maxim Integrated
IC SUPERVISOR 1 CHANNEL 8SOIC**MAX813LCSE+T**

Analog Devices / Maxim Integrated

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:

Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -



Efficient Supply Management



Cost-Saving Procurement



Fast Sourcing & Delivery

Contact us if you have any questions.



Phone

+00852 9146 4856



Email

info@allelco.com

Certifications & Memberships



[View More](#)



Contact us

Address: Flat/Rm C 13/F Harvard Commercial Building 105-111 Thomson Road, Wan Chai, Hong Kong

Phone: +00852 9146 4856

Fax: +00852 3010 8510

Email: info@Allelco.com

Copyright © 2012-2023 AllelcoElec.com. All rights reserved.