



Image may be representation.
See specifications for product details.



2N6073AG

Manufacturer Part Number	2N6073AG
Manufacturer	Littelfuse
Allelco Part Number	32D-2N6073AG
ECAD Model	Request Free CAD Models
Parts Description	TRIAC SENS GATE 400V 4A TO225AA
Package	TO-225AA, TO-126-3
Data sheet	2N6071A,B Series.pdf 2N6071,73,75(A,B)-LF Series.pdf 2N6071,73,75(A,B)-LF Series.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

2N6073AG - Littelfuse Inc..New Original in Stock. Download Linear Technology 2N6073AG datasheet/specifications on AllelcoElec.com.
Request a quote for 2N6073AG, please send us email: info@allelco.com

Specifications

2N6073AG Tech Specifications
2N6073AG - Littelfuse Inc. technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Littelfuse	Operating Temperature	-40°C ~ 110°C (TJ)
Voltage - Off State	400 V	Mounting Type	Through Hole
Voltage - Gate Trigger (Vgt) (Max)	2.5 V	Current - On State (It (RMS)) (Max)	4 A
Triac Type	Logic - Sensitive Gate	Current - Non Rep. Surge 50, 60Hz (Itsm)	30A @ 60Hz
Supplier Device Package	TO-225AA	Current - Hold (Ih) (Max)	15 mA
Series	-	Current - Gate Trigger (Igt) (Max)	5 mA
Package / Case	TO-225AA, TO-126-3	Configuration	Single
Package	Box	Base Product Number	2N6073A

Parts with Similar Specifications

The three parts on the right have similar specifications to Littelfuse Inc. 2N6073AG

Product Attribute				
Part Number	2N6073AG	2N6075AG	2N6071BTG	2N6075BG
Manufacturer	Littelfuse Inc.	Littelfuse Inc.	onsemi	onsemi
Current - Non Rep. Surge 50, 60Hz (Itsm)	30A @ 60Hz	30A @ 60Hz	30A @ 60Hz	30A @ 60Hz
Current - On State (It (RMS)) (Max)	4 A	4 A	4 A	4 A
Triac Type	Logic - Sensitive Gate	Logic - Sensitive Gate	Logic - Sensitive Gate	Logic - Sensitive Gate
Configuration	Single	Single	Single	Single
Mounting Type	Through Hole	Through Hole	Through Hole	Through Hole
Package	Box	Box	Bulk	Bulk
Operating Temperature	-40°C ~ 110°C (TJ)	-40°C ~ 110°C (TJ)	-40°C ~ 110°C (TJ)	-40°C ~ 110°C (TJ)
Current - Hold (Ih) (Max)	15 mA	15 mA	15 mA	15 mA
Voltage - Gate Trigger (Vgt) (Max)	2.5 V	2.5 V	2.5 V	2.5 V
Voltage - Off State	400 V	600 V	200 V	600 V
Series	-	-	-	-
Package / Case	TO-225AA, TO-126-3	TO-225AA, TO-126-3	TO-225AA, TO-126-3	TO-225AA, TO-126-3
Current - Gate Trigger (Igt) (Max)	5 mA	5 mA	3 mA	3 mA
Supplier Device Package	TO-225AA	TO-225AA	TO-225-3	TO-225-3
Base Product Number	2N6073A	2N6075A	-	-

2N6073AG Datasheet PDF

Download 2N6073AG pdf datasheets and Littelfuse Inc. documentation for 2N6073AG - Littelfuse Inc..

Datasheets

[2N6071A,B Series.pdf](#)

[2N6071,73,75\(A,B\)-LF Series.pdf](#)

PCN Design/Specification

[SMC Packaged Products 30/Nov/2016.pdf](#)

[Updated Polarity ID 30/Nov/2016.pdf](#)

PCN Assembly/Origin



















[Assembly/Test Site Transfer 28/Jul/2016.pdf](#)

HTML Datasheet

[2N6071,73,75\(A,B\)-LF Series.pdf](#)

Customers Also Interested in

Recommended Products

					
2N6062 Microchip Technology POWER BJT	2N6075AG Littelfuse Inc. TRIAC SENS GATE 600V 4A TO225AA	2N6071BTG onsemi 4 QUADRANT LOGIC LEVEL TRIAC, 20	2N6075BG onsemi 4 QUADRANT LOGIC LEVEL TRIAC, 60	2N6060 Microchip Technology POWER BJT	2N6073BG Littelfuse Inc. TRIAC SENS GATE 400V 4A TO225AA
					
2N6073B AMI Semiconductor/onsemi	2N6072 STMicroelectronics	2N6073BG onsemi SENSITIVE GATE TRIACS	2N6071BG Littelfuse Inc. TRIAC SENS GATE 200V 4A TO225AA	2N6071BTG Littelfuse Inc. TRIAC SENS GATE 200V 4A TO225AA	2N6075B onsemi THYRISTOR TRIAC 4A 600V TO225AA
					
2N6075BG Littelfuse Inc. TRIAC SENS GATE 600V 4A TO225AA	2N6073AG onsemi 4 QUADRANT LOGIC LEVEL TRIAC, 40	2N6071AG Littelfuse Inc. TRIAC SENS GATE 200V 4A TO225AA	2N6075AG onsemi SENSITIVE GATE TRIACS	2N6073A onsemi THYRISTOR TRIAC 4A 400V TO225AA	2N6071A onsemi THYRISTOR TRIAC 4A 200V TO225AA

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.

Contact us if you have any questions.


Payment Support

The payment method can be chosen from the methods shown below:


Wire Transfer (T/T, Bank Transfer), Western Union, Credit card,
PayPal.



Your Faithful Supply Chain Partner -



Contact us if you have any questions.



+00852 9146 4856

info@allelco.com

Certifications & Memberships



View More