

Image may be representation.
See specifications for product details.



MAX1968EUI+T

Manufacturer Part Number	MAX1968EUI+T
Manufacturer	Maxim Integrated
Allelco Part Number	32D-MAX1968EUI+T
ECAD Model	Request Free CAD Models
Parts Description	IC DRVR POWER 28-TSSOP
Package	28-TSSOP (0.173", 4.40mm Width) Exposed Pad
Data sheet	MAX1968,69.pdf
RoHs Status	ROHS3 Compliant

Get a Quote

MAX1968EUI+T - Analog Devices Inc./Maxim Integrated. New Original in Stock. Download Linear Technology MAX1968EUI+T datasheet/specifications on AllelcoElec.com. Request a quote for MAX1968EUI+T, please send us email: info@allelco.com

Specifications

MAX1968EUI+T Tech Specifications
MAX1968EUI+T - Analog Devices Inc./Maxim Integrated technical specifications, attributes, parameters

Product Attribute	Attribute Value	Product Attribute	Attribute Value
Manufacturer	Maxim Integrated	Operating Temperature	-40°C ~ 85°C
Voltage - Supply	3V ~ 5.5V	Mounting Type	Surface Mount
Supplier Device Package	28-TSSOP-EP	Current - Supply	-
Series	-	Base Product Number	MAX1968
Package / Case	28-TSSOP (0.173", 4.40mm Width) Exposed Pad	Applications	Thermoelectric Cooler
Package	Tape & Reel (TR)		

Parts with Similar Specifications

The three parts on the right have similar specifications to Analog Devices Inc./Maxim Integrated MAX1968EUI+T

Product Attribute				
Part Number	MAX1968EUI+T	MAX1964TEEE	MAX19700ETM+	MAX1967EUB-T
Manufacturer	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated	Analog Devices Inc./Maxim Integrated
Applications	Thermoelectric Cooler	Power Supply Controller	-	-
Current - Supply	-	1.25 mA	-	-
Package	Tape & Reel (TR)	Bulk	Tray	Bulk
Base Product Number	MAX1968	MAX1964	MAX197	MAX1967
Series	-	-	*	-
Mounting Type	Surface Mount	Surface Mount	-	Surface Mount
Package / Case	28-TSSOP (0.173", 4.40mm Width) Exposed Pad	16-SSOP (0.154", 3.90mm Width)	-	10-TFSOP, 10-MSOP (0.118", 3.00mm Width)
Voltage - Supply	3V ~ 5.5V	4.5V ~ 28V	-	-
Supplier Device Package	28-TSSOP-EP	16-QSOP	-	10-uMAX
Operating Temperature	-40°C ~ 85°C	-40°C ~ 85°C	-	-40°C ~ 85°C (TA)

MAX1968EUI+T Datasheet PDF

Download MAX1968EUI+T pdf datasheets and Analog Devices Inc./Maxim Integrated documentation for MAX1968EUI+T - Analog Devices Inc./Maxim Integrated.

Datasheets

MAX1968,69.pdf

Environmental Information

Maxim Integrated REACH.pdf

Maxim Integrated RoHS Cert.pdf

Red Phosphorous Certificate.pdf

Part Numbering Guide

Part Numbering System.pdf

Application Notes

HFTA-09.0: T3/E3/STS-1 Fiber Optic Extension.pdf

HFAN-08.2.0: How to Control and Compensate a Therm.pdf

Customers Also Interested in

Recommended Products

MAX1964TEEE Analog Devices Inc./Maxim Integrated POWER-SUPPLY CONTROLLER	MAX19700ETM+ Analog Devices Inc./Maxim Integrated IC ANLG FRONT END 7.5MSPS 48TQFN	MAX1967EUB-T Analog Devices Inc./Maxim Integrated PWM STEP-DOWN CONTROLLER	MAX1966ESA+T Analog Devices Inc./Maxim Integrated IC REG CTRLR BUCK 850IC	MAX19705ETM+ Analog Devices Inc./Maxim Integrated IC ANLG FRNT END 48-TQFN	MAX1967EUB+T Analog Devices Inc./Maxim Integrated IC REG CTRLR BUCK 10UMAX

**MAX1966ESA**

Analog Devices Inc./Maxim Integrated
PWM STEP-DOWN CONTROLLER

**MAX196BEWI+**


Analog Devices Inc./Maxim Integrated
IC DAS 12BIT 100K 28SOIC

**MAX196AEWI+**

Analog Devices Inc./Maxim Integrated
IC DAS 12BIT 100K 28SOIC

**MAX1967EUB+**

Analog Devices Inc./Maxim Integrated
IC REG CTRLR BUCK 10UMAX

**MAX19700ETM+T**

Analog Devices Inc./Maxim Integrated
IC AFE 2 CHAN 10BIT 48TQFN

**MAX196ACWI+**

Analog Devices Inc./Maxim Integrated
IC DAS 12BIT 100K 28SOIC

**MAX196ACAI**

Analog Devices Inc./Maxim Integrated
IC ADC 12BIT SAR 28SSOP

**MAX1967EUB**

Analog Devices Inc./Maxim Integrated
PWM STEP-DOWN CONTROLLER

**MAX196AEAI+**

Analog Devices Inc./Maxim Integrated
IC DAS 12BIT 100K 28SSOP

**MAX1964TEEE+T**

Analog Devices Inc./Maxim Integrated
IC POWER CTRLR/SEQUENCER 16QSOP

**MAX196BCWI**

Analog Devices Inc./Maxim Integrated
IC DAS 12BIT 100K 28SOIC

**MAX196AEAI**

Analog Devices Inc./Maxim Integrated
IC ADC 12BIT SAR 28SSOP

Shipment

Delivery Time

In-stock items can be shipped within 24 hours. Some parts will be arranged for delivery within 1-2 days from the date all items arrive at our warehouse. And Allelco ships order once a day at about 17:00, except Sunday. Once the goods are shipped, the estimated delivery time depends on the shipping methods and Delivery destination. The table below shows are the logistic time for some common countries.

Delivery Cost

> Use your express account for shipment if you have one.

> Use our account for the shipment. Refer to the table below for the approximate charges.

(Different time frame / countries / package size has different price.)

Delivery Method

> Global Common Shipment by DHL / UPS / FedEx / TNT / EMS / SF we support.

> Others more shipping ways, please get in touch with your customer manager.

Common Countries Logistic Time Reference		
Region	Country	Logistic Time(Day)
America	United States	5
	Brazil	7
Europe	Germany	5
	United Kingdom	4
	Italy	5
Oceania	Australia	6
	New Zealand	7
Asia	India	6
	Japan	7
Middle East	Israel	6

DHL & FedEx Shipment Charges Reference	
Shipment charges(KG)	Reference DHL(USD\$)
0.00kg-1.00kg	USD\$60.00
1.00kg-2.00kg	USD\$70.00
2.00kg-3.00kg	USD\$80.00

Note: The above table is for reference only. There may have some data bias for the uncontrollable factors.
Contact us if you have any questions.

Payment Support

The payment method can be chosen from the methods shown below:
Wire Transfer (T/T, Bank Transfer), Western Union, Credit card, PayPal.



Your Faithful Supply Chain Partner -

Efficient Supply Management
 Cost-Saving Procurement
 Fast Sourcing & Delivery

Contact us if you have any questions.

Phone
+00852 9146 4856
 Email
info@allelco.com

Certifications & Memberships



[View More](#)